

FOR B. BUCHT

WORLD FERTILITY SURVEY

(INTERNATIONAL STATISTICAL INSTITUTE)

REGIONAL INFANT AND CHILD MORTALITY LEVELS:

PRELIMINARY TABLES FOR 38 COUNTRIES

by

SHEA RUTSTEIN

WFS/TECH. 2364

JUNE 1984

Author's notes:

1. The identification of region is based on the WFS Standard Recode variable V701. This variable is usually determined by the location where the interview took place (de facto region), sometimes by reference to the sampling domain. In a few countries the de jure region of current residence was used.
2. Region was not given for Malaysia nor Paraguay. Trinidad and Tobago was considered too small to be regionalized.
3. Many countries combined level of urbanism with region.
4. The rates given are synthetic cohort probabilities of death. Parentheses around a rate indicate that it was based on less than 500 exposed children and so may be subject to substantial sampling fluctuation.

5. NOTATION USED

NN = Neonatal mortality rate

P-NN : Post-neonatal mortality rate

1 $\%$: Infant mortality rate

2 $\%$: Under two years rate

5 $\%$: Under five rate

1 $\%$: Toddler mortality rate (age 1 year)

3 $\%$: Child mortality rate (ages 2 to 4 years)

4 $\%$: Rate for ages one to four

BENIN 1981-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Atacora		Atlantique		Borgou		Mono	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(43.1)	256	(30.8)	33	(42.7)	234	(46.1)	304
P-NN	(61.0)	228	(65.7)	30	(55.7)	213	(55.4)	273
1q0	(104.0)	228	(96.5)	30	(98.5)	213	(101.6)	273
2q0	(140.1)	211	(96.5)	29	(116.8)	197	(131.3)	257
5q0	(272.2)	152	(131.2)	24	(186.4)	157	(214.8)	201
1q1	(40.3)	211	(0.0)	29	(20.3)	197	(33.1)	257
3q2	(153.6)	152	(38.5)	24	(78.8)	157	(96.2)	201
4q1	(187.7)	152	(38.5)	24	(97.5)	157	(126.1)	201
No. mothers	[102]		[14]		[93]		[131]	
Rural								
NN	63.5	961	93.6	748	55.9	796	52.3	994
P-NN	119.4	779	59.6	607	74.4	687	50.2	896
1q0	182.9	779	153.2	607	130.3	687	102.5	896
2q0	217.3	711	181.9	560	180.8	638	117.9	845
5q0	295.4	557	(236.0)	434	(258.4)	456	199.0	659
1q1	42.2	711	34.0	560	58.0	638	17.2	845
3q2	99.7	557	(66.1)	434	(94.8)	456	92.0	659
4q1	137.7	557	(97.8)	434	(147.3)	456	107.6	659
No. mothers	[425]		[293]		[327]		[383]	
Total								
NN	59.2	1217	91.0	781	52.9	1030	50.9	1298
P-NN	107.0	1007	59.9	637	70.1	900	51.4	1169
1q0	166.2	1007	150.9	637	123.0	900	102.3	1169
2q0	201.0	922	178.3	588	166.1	835	121.0	1102
5q0	290.5	709	(231.5)	458	242.0	612	202.7	859
1q1	41.8	922	32.3	588	49.1	835	20.9	1102
3q2	112.0	709	(64.7)	458	91.0	612	93.0	859
4q1	149.1	709	(94.9)	458	135.6	612	111.9	859
No. mothers	[527]		[307]		[420]		[514]	

BENIN 1981-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Oueme		Zou		Cotonou		ALL REGIONS	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(43.8)	365	(40.0)	238	36.4	743	40.8	2171
P-NN	(49.7)	316	(61.4)	210	15.4	677	42.3	1945
1q0	(93.5)	316	(101.4)	210	51.7	677	83.1	1945
2q0	(118.2)	294	(141.1)	182	97.8	648	117.7	1817
5q0	(170.8)	243	(169.1)	129	(138.5)	496	179.5	1401
1q1	(27.2)	294	(44.1)	182	48.6	648	37.7	1817
3q2	(59.7)	243	(32.6)	129	(45.0)	496	70.1	1401
4q1	(85.3)	243	(75.2)	129	(91.5)	496	105.1	1401
No. mothers	[165]		[105]		[333]		[943]	
Rural								
NN	44.2	938	68.4	1280	(0.0)	8	62.3	5724
P-NN	38.7	806	84.8	1078	(0.0)	8	72.2	4859
1q0	83.0	806	153.2	1078	(0.0)	8	134.5	4859
2q0	129.1	756	199.7	1003	(0.0)	8	171.5	4519
5q0	190.1	529	267.1	751	(0.0)	9	242.0	3393
1q1	50.3	756	54.9	1003	(0.0)	8	42.8	4519
3q2	70.1	529	84.2	751	(0.0)	9	85.0	3393
4q1	116.9	529	134.5	751	(0.0)	9	124.2	3393
No. mothers	[406]		[508]		[3]		[2345]	
Total								
NN	44.1	1303	63.9	1517	36.0	751	56.4	7895
P-NN	41.8	1122	81.2	1287	15.2	685	63.9	6804
1q0	85.9	1122	145.1	1287	51.2	685	120.3	6804
2q0	126.0	1050	190.6	1184	96.8	656	156.7	6336
5q0	184.6	772	252.7	880	136.9	505	224.8	4794
1q1	43.8	1050	53.2	1184	48.1	656	41.4	6336
3q2	67.1	772	76.8	880	44.4	505	80.7	4794
4q1	108.0	772	125.9	880	90.3	505	118.7	4794
No. mothers	[571]		[613]		[336]		[3288]	

CAMEROON 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Nord-Ouest		Ouest		Sud-Ouest		Yaounde	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(32.3)	212	(9.9)	300	--	0	25.0	582
P-NN	(20.4)	198	(55.1)	272	--	0	55.6	521
1q0	(52.7)	198	(64.9)	272	--	0	80.6	521
2q0	(69.9)	196	(86.5)	258	--	0	(103.9)	486
5q0	(94.1)	179	(118.6)	196	--	0	(139.4)	381
1q1	(18.1)	196	(23.1)	258	--	0	(25.3)	486
3q2	(26.0)	179	(35.2)	196	--	0	(39.7)	381
4q1	(43.7)	179	(57.5)	196	--	0	(63.9)	381
No. mothers	[81]		[128]		[0]		[260]	
Rural								
NN	51.7	1540	37.6	1579	48.2	1189	--	0
P-NN	54.9	1362	65.6	1421	64.4	1042	--	0
1q0	106.6	1362	103.2	1421	112.5	1042	--	0
2q0	135.6	1275	142.6	1344	169.9	972	--	0
5q0	172.5	1003	221.7	1046	227.5	727	--	0
1q1	32.4	1275	43.9	1344	64.7	972	--	0
3q2	42.7	1003	92.3	1046	69.4	727	--	0
4q1	73.7	1003	132.2	1046	129.5	727	--	0
No. mothers	[644]		[675]		[493]		[0]	
Total								
NN	49.4	1752	33.1	1879	48.2	1189	25.0	582
P-NN	50.7	1560	64.0	1692	64.4	1042	55.6	521
1q0	100.1	1560	97.1	1692	112.5	1042	80.6	521
2q0	127.5	1470	133.7	1602	169.9	972	(103.9)	486
5q0	162.7	1181	205.7	1242	227.5	727	(139.4)	381
1q1	30.5	1470	40.6	1602	64.7	972	(25.3)	486
3q2	40.3	1181	83.1	1242	69.4	727	(39.7)	381
4q1	69.6	1181	120.3	1242	129.5	727	(63.9)	381
No. mothers	[724]		[803]		[493]		[260]	

CAMEROON 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Douala		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	33.7	760	34.1	2497				
P-NN	51.1	702	52.3	2268				
1q0	84.8	702	86.4	2268				
2q0	110.6	643	116.6	2108				
5q0	(146.4)	498	156.8	1648				
1q1	28.2	643	33.1	2108				
3q2	(40.3)	498	45.5	1648				
4q1	(67.4)	498	77.1	1648				
No. mothers	[362]		[1138]					
Rural								
NN	--	0	49.6	11291				
P-NN	--	0	58.3	9990				
1q0	--	0	107.9	9990				
2q0	--	0	146.7	9406				
5q0	--	0	202.3	7395				
1q1	--	0	43.5	9406				
3q2	--	0	65.2	7395				
4q1	--	0	105.8	7395				
No. mothers	[0]		[5039]					
Total								
NN	33.7	760	46.8	13788				
P-NN	51.1	702	57.2	12259				
1q0	84.8	702	104.0	12259				
2q0	110.6	643	141.2	11514				
5q0	(146.4)	498	194.2	9043				
1q1	28.2	643	41.5	11514				
3q2	(40.3)	498	61.6	9043				
4q1	(67.4)	498	100.6	9043				
No. mothers	[362]		[6178]					

GHANA 1979

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Western		Central		Greater Accra		Eastern	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(65.7)	251	(43.4)	369	20.8	864	(41.4)	362
P-NN	(29.5)	236	(46.4)	340	17.6	820	(25.2)	329
1q0	(95.3)	236	(89.8)	340	38.4	820	(66.6)	329
2q0	(127.4)	225	(121.4)	331	63.8	778	(76.6)	328
5q0	(173.0)	185	(144.9)	266	89.0	614	(102.7)	309
1q1	(35.6)	225	(34.7)	331	26.3	778	(10.7)	328
3q2	(52.2)	185	(26.8)	266	26.9	614	(28.3)	309
4q1	(85.9)	185	(60.6)	266	52.5	614	(38.6)	309
No. mothers	[100]		[157]		[426]		[193]	
Rural								
NN	66.9	598	(95.7)	481	(40.2)	125	31.8	1243
P-NN	47.5	516	(54.8)	405	(32.9)	112	20.8	1131
1q0	114.5	516	(150.5)	405	(73.0)	112	52.6	1131
2q0	(144.6)	500	(163.7)	388	(73.0)	108	64.8	1087
5q0	(184.9)	396	(180.9)	321	(134.8)	86	93.8	913
1q1	(34.0)	500	(15.5)	388	(0.0)	108	12.9	1087
3q2	(47.1)	396	(20.6)	321	(66.7)	86	31.0	913
4q1	(79.6)	396	(35.8)	321	(66.7)	86	43.5	913
No. mothers	[264]		[209]		[63]		[552]	
Total								
NN	66.6	849	73.0	850	23.3	988	34.0	1605
P-NN	42.1	752	51.1	745	19.5	932	21.8	1460
1q0	108.7	752	124.1	745	42.8	932	55.8	1460
2q0	139.4	725	145.5	719	64.9	886	67.5	1415
5q0	181.3	581	165.5	587	94.8	700	95.8	1222
1q1	34.5	725	24.4	719	23.2	886	12.4	1415
3q2	48.7	581	23.4	587	31.9	700	30.4	1222
4q1	81.5	581	47.2	587	54.3	700	42.4	1222
No. mothers	[364]		[366]		[489]		[745]	

GHANA 1979

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Volta		Ashanti		Brong Ahafo		Northern	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(30.2)	100	19.1	680	(25.5)	157	(5.6)	177
P-NN	(20.0)	97	43.5	619	(0.0)	150	(17.3)	170
1q0	(50.1)	97	62.6	619	(25.5)	150	(23.0)	170
2q0	(50.1)	93	78.3	596	(32.5)	139	(56.2)	162
5q0	(61.4)	85	(90.9)	473	(47.5)	116	(132.7)	127
1q1	(0.0)	93	16.8	596	(7.2)	139	(34.0)	162
3q2	(11.8)	85	(13.7)	473	(15.5)	116	(81.1)	127
4q1	(11.8)	85	(30.2)	473	(22.6)	116	(112.3)	127
No. mothers	[50]		[335]		[77]		[72]	
Rural								
NN	50.2	916	21.5	1537	45.5	660	29.2	583
P-NN	20.4	807	32.5	1421	23.5	607	48.3	518
1q0	70.6	807	53.9	1421	69.0	607	77.5	518
2q0	94.3	786	72.2	1349	93.6	605	(113.6)	486
5q0	123.9	655	97.2	1104	114.3	530	(169.5)	370
1q1	25.5	786	19.3	1349	26.5	605	(39.1)	486
3q2	32.7	655	26.9	1104	22.8	530	(63.0)	370
4q1	57.4	655	45.7	1104	48.7	530	(99.7)	370
No. mothers	[410]		[706]		[292]		[231]	
Total								
NN	48.3	1015	20.7	2217	41.6	817	23.7	760
P-NN	20.3	903	35.8	2040	19.0	756	41.0	688
1q0	68.6	903	56.6	2040	60.6	756	64.7	688
2q0	89.8	878	74.1	1945	82.1	743	100.1	648
5q0	117.5	740	95.3	1577	101.9	646	(160.8)	497
1q1	22.8	878	18.5	1945	22.9	743	37.8	648
3q2	30.5	740	22.9	1577	21.5	646	(67.4)	497
4q1	52.5	740	41.0	1577	43.9	646	(102.7)	497
No. mothers	[460]		[1041]		[369]		[303]	

GHANA 1979

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Upper		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(50.5)	99	29.9	3058				
P-NN	(63.7)	86	29.3	2845				
1q0	(114.2)	86	59.2	2845				
2q0	(125.7)	78	80.3	2728				
5q0	(150.5)	64	106.5	2237				
1q1	(12.9)	78	22.4	2728				
3q2	(28.4)	64	28.5	2237				
4q1	(40.9)	64	50.2	2237				
No. mothers	[40]		[1450]					
Rural								
NN	50.4	904	42.9	7045				
P-NN	73.7	841	37.6	6356				
1q0	124.0	841	80.5	6356				
2q0	163.7	795	103.7	6101				
5q0	232.4	622	139.4	4997				
1q1	45.3	795	25.2	6101				
3q2	82.1	622	39.8	4997				
4q1	123.7	622	64.0	4997				
No. mothers	[426]		[3153]					
Total								
NN	50.4	1003	39.0	10103				
P-NN	72.6	927	35.1	9201				
1q0	123.0	927	74.0	9201				
2q0	160.2	873	96.6	8829				
5q0	224.9	686	129.4	7234				
1q1	42.4	873	24.4	8829				
3q2	77.0	686	36.3	7234				
4q1	116.2	686	59.8	7234				
No. mothers	[466]		[4603]					

IVORY COAST 1980-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Abidjan		Foret urbaine		Savane urbaine		Foret rurale	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	34.6	1852	68.3	1376	58.0	811	--	0
P-NN	47.7	1664	62.2	1168	69.5	697	--	0
1q0	82.2	1664	130.5	1168	127.5	697	--	0
2q0	104.4	1532	168.9	1087	145.9	641	--	0
5q0	135.2	1128	207.7	780	(176.4)	466	--	0
1q1	24.2	1532	44.2	1087	21.1	641	--	0
3q2	34.4	1128	46.7	780	(35.7)	466	--	0
4q1	57.8	1128	88.8	780	(56.0)	466	--	0
No. mothers	[818]		[569]		[364]		[0]	
Rural								
NN	--	0	--	0	--	0	65.9	4728
P-NN	--	0	--	0	--	0	63.2	4101
1q0	--	0	--	0	--	0	129.1	4101
2q0	--	0	--	0	--	0	161.6	3847
5q0	--	0	--	0	--	0	203.6	3026
1q1	--	0	--	0	--	0	37.3	3847
3q2	--	0	--	0	--	0	50.1	3026
4q1	--	0	--	0	--	0	85.6	3026
No. mothers	[0]		[0]		[0]		[1983]	
Total								
NN	34.6	1852	68.3	1376	58.0	811	65.9	4728
P-NN	47.7	1664	62.2	1168	69.5	697	63.2	4101
1q0	82.2	1664	130.5	1168	127.5	697	129.1	4101
2q0	104.4	1532	168.9	1087	145.9	641	161.6	3847
5q0	135.2	1128	207.7	780	(176.4)	466	203.6	3026
1q1	24.2	1532	44.2	1087	21.1	641	37.3	3847
3q2	34.4	1128	46.7	780	(35.7)	466	50.1	3026
4q1	57.8	1128	88.8	780	(56.0)	466	85.6	3026
No. mothers	[818]		[569]		[364]		[1983]	

KENYA 1977-8

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Nairobi		Central		Coast		Nyanza	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	28.5	705	(28.9)	70	(73.3)	352	(34.4)	133
P-NN	42.8	632	(59.3)	59	(36.9)	310	(54.1)	116
1q0	71.2	632	(88.2)	59	(110.2)	310	(88.5)	116
2q0	95.8	591	(88.2)	55	(125.6)	296	(107.6)	109
5q0	(109.8)	437	(91.6)	44	(142.5)	235	(129.8)	84
1q1	26.5	591	(0.0)	55	(17.4)	296	(21.0)	109
3q2	(15.4)	437	(3.7)	44	(19.2)	235	(24.8)	84
4q1	(41.5)	437	(3.7)	44	(36.3)	235	(45.3)	84
No. mothers	[290]		[32]		[155]		[50]	
Rural								
NN	(0.0)	1	31.0	2657	82.7	1006	43.6	3651
P-NN	(0.0)	1	26.2	2507	57.4	880	88.2	3259
1q0	(0.0)	1	57.2	2507	140.1	880	131.8	3259
2q0	(0.0)	1	74.5	2428	168.6	826	179.4	3029
5q0	(0.0)	1	90.8	2148	217.0	627	226.7	2471
1q1	(0.0)	1	18.3	2428	33.2	826	54.8	3029
3q2	(0.0)	1	17.6	2148	58.2	627	57.7	2471
4q1	(0.0)	1	35.6	2148	89.4	627	109.4	2471
No. mothers	[1]		[888]		[375]		[1332]	
Total								
NN	28.4	706	30.9	2727	80.3	1359	43.2	3784
P-NN	42.7	634	27.0	2567	52.1	1189	87.1	3375
1q0	71.1	634	57.9	2567	132.3	1189	130.3	3375
2q0	95.6	592	74.8	2483	157.5	1123	176.9	3138
5q0	(109.5)	438	90.8	2192	197.8	863	223.6	2555
1q1	26.4	592	17.9	2483	29.0	1123	53.6	3138
3q2	(15.4)	438	17.3	2192	47.9	863	56.6	2555
4q1	(41.4)	438	34.9	2192	75.5	863	107.2	2555
No. mothers	[291]		[920]		[530]		[1382]	

LESOTHO 1977

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Lowlands		Foothills		Orange River Valley		Mountains	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(76.6)	348	(75.0)	36	--	0	--	0
P-NN	(51.0)	300	(0.0)	32	--	0	--	0
1q0	(127.5)	300	(75.0)	32	--	0	--	0
2q0	(147.6)	284	(75.0)	31	--	0	--	0
5q0	(172.4)	247	(167.0)	24	--	0	--	0
1q1	(23.0)	284	(0.0)	31	--	0	--	0
3q2	(29.2)	247	(99.5)	24	--	0	--	0
4q1	(51.5)	247	(99.5)	24	--	0	--	0
No. mothers	[184]		[20]		[0]		[0]	
Rural								
NN	62.8	2266	83.5	1460	60.1	864	69.1	1180
P-NN	61.5	1971	46.2	1244	67.2	743	67.1	1009
1q0	124.3	1971	129.8	1244	127.3	743	136.3	1009
2q0	154.2	1834	151.2	1168	165.7	690	155.5	935
5q0	177.6	1473	177.7	981	187.5	562	173.9	765
1q1	34.2	1834	24.6	1168	44.0	690	22.3	935
3q2	27.6	1473	31.2	981	26.0	562	21.8	765
4q1	60.9	1473	55.0	981	68.9	562	43.6	765
No. mothers	[1089]		[696]		[409]		[558]	
Total								
NN	64.6	2613	83.3	1495	60.1	864	69.1	1180
P-NN	60.1	2271	45.1	1276	67.2	743	67.1	1009
1q0	124.7	2271	128.5	1276	127.3	743	136.3	1009
2q0	153.3	2118	149.4	1199	165.7	690	155.5	935
5q0	176.9	1720	177.3	1004	187.5	562	173.9	765
1q1	32.7	2118	24.0	1199	44.0	690	22.3	935
3q2	27.9	1720	32.9	1004	26.0	562	21.8	765
4q1	59.7	1720	56.1	1004	68.9	562	43.6	765
No. mothers	[1273]		[716]		[409]		[558]	

IVORY COAST 1980-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Savane rurale		Etranger		ALL REGIONS			
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	0	(0.0)	7	50.7	4046		
P-NN	--	0	(0.0)	8	56.9	3536		
1q0	--	0	(0.0)	8	107.5	3536		
2q0	--	0	(0.0)	7	134.4	3265		
5q0	--	0	(0.0)	4	167.9	2377		
1q1	--	0	(0.0)	7	30.2	3265		
3q2	--	0	(0.0)	4	38.7	2377		
4q1	--	0	(0.0)	4	67.7	2377		
No. mothers	[0]		[2]		[1753]		
Rural								
NN	82.9	2388	--	0	71.6	7116		
P-NN	82.0	1958	--	0	69.4	6058		
1q0	164.9	1958	--	0	141.0	6058		
2q0	191.7	1842	--	0	171.6	5688		
5q0	236.5	1421	--	0	214.5	4447		
1q1	32.0	1842	--	0	35.6	5688		
3q2	55.4	1421	--	0	51.8	4447		
4q1	85.7	1421	--	0	85.6	4447		
No. mothers	[948]		[0]		[2931]		
Total								
NN	82.9	2388	(0.0)	7	64.0	11161		
P-NN	82.0	1958	(0.0)	8	64.9	9594		
1q0	164.9	1958	(0.0)	8	128.9	9594		
2q0	191.7	1842	(0.0)	7	158.2	8953		
5q0	236.5	1421	(0.0)	4	197.9	6824		
1q1	32.0	1842	(0.0)	7	33.6	8953		
3q2	55.4	1421	(0.0)	4	47.2	6824		
4q1	85.7	1421	(0.0)	4	79.2	6824		
No. mothers	[948]		[2]		[4684]		

KENYA 1977-8

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Rift Valley		Western		Eastern		ALL REGIONS	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(28.9)	331	(70.8)	85	(71.8)	23	41.0	1699
P-NN	(39.7)	290	(66.6)	73	(50.4)	19	43.7	1500
1q0	(68.6)	290	(137.3)	73	(122.2)	19	84.8	1500
2q0	(86.3)	269	(175.0)	67	(122.2)	16	105.1	1404
5q0	(96.1)	202	(226.7)	54	(122.2)	7	121.1	1063
1q1	(19.0)	269	(43.7)	67	(0.0)	16	22.2	1404
3q2	(10.8)	202	(62.7)	54	(0.0)	7	17.9	1063
4q1	(29.6)	202	(103.6)	54	(0.0)	7	39.7	1063
No. mothers	[127]		[27]		[11]		[693]	
Rural								
NN	30.3	3060	53.7	2229	40.1	2808	42.2	15412
P-NN	35.1	2816	55.2	1983	38.9	2587	51.2	14033
1q0	65.4	2816	108.9	1983	79.0	2587	93.3	14033
2q0	80.9	2663	146.5	1890	100.5	2464	121.9	13301
5q0	96.7	2150	197.7	1512	129.8	2138	155.0	11047
1q1	16.6	2663	42.2	1890	23.3	2464	31.5	13301
3q2	17.1	2150	59.9	1512	32.6	2138	37.7	11047
4q1	33.5	2150	99.6	1512	55.1	2138	68.0	11047
No. mothers	[1057]		[808]		[1052]		[5513]	
Total								
NN	30.2	3390	54.3	2313	40.4	2831	42.0	17110
P-NN	35.5	3105	55.7	2056	39.0	2606	50.5	15532
1q0	65.7	3105	110.0	2056	79.3	2606	92.5	15532
2q0	81.4	2932	147.6	1957	100.7	2480	120.3	14705
5q0	96.7	2351	198.7	1566	129.8	2145	151.9	12111
1q1	16.8	2932	42.2	1957	23.2	2480	30.6	14705
3q2	16.6	2351	60.0	1566	32.4	2145	35.9	12111
4q1	33.2	2351	99.7	1566	54.8	2145	65.4	12111
No. mothers	[1184]		[835]		[1063]		[6205]	

LESOTHO 1977

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	(76.4)	383						
P-NN	(46.2)	333						
1q0	(122.6)	333						
2q0	(140.8)	315						
5q0	(171.5)	270						
1q1	(20.7)	315						
3q2	(35.7)	270						
4q1	(55.7)	270						
No. mothers	[204]							

Rural

NN	69.0	5770						
P-NN	59.6	4967						
1q0	128.6	4967						
2q0	155.5	4628						
5q0	178.4	3781						
1q1	30.8	4628						
3q2	27.2	3781						
4q1	57.2	3781						
No. mothers	[2753]							

Total

NN	69.4	6153						
P-NN	58.8	5300						
1q0	128.2	5300						
2q0	154.5	4943						
5q0	178.0	4051						
1q1	30.2	4943						
3q2	27.7	4051						
4q1	57.1	4051						
No. mothers	[2957]							

NIGERIA 1981-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	North east		North west		South east		South west	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	20.2	779	50.8	630	(24.0)	438	28.9	1791
P-NN	62.0	718	32.3	582	(36.0)	412	31.8	1647
1q0	82.3	718	83.1	582	(60.0)	412	60.6	1647
2q0	104.6	669	105.0	561	(75.2)	394	86.4	1557
5q0	(148.7)	491	(154.4)	390	(80.1)	323	117.9	1210
1q1	24.3	669	23.9	561	(16.2)	394	27.4	1557
3q2	(49.3)	491	(55.2)	390	(5.3)	323	34.5	1210
4q1	(72.3)	491	(77.8)	390	(21.4)	323	61.0	1210
No. mothers	[323]		[274]		[182]		[774]	
Rural								
NN	52.2	3922	51.2	3447	46.1	4942	50.2	1727
P-NN	60.0	3544	40.7	3216	40.5	4552	36.0	1603
1q0	112.2	3544	91.9	3216	86.7	4552	86.2	1603
2q0	144.3	3390	131.8	3069	121.7	4430	110.8	1540
5q0	178.4	2616	190.3	2244	157.7	3672	152.0	1328
1q1	36.1	3390	43.9	3069	38.4	4430	27.0	1540
3q2	39.9	2616	67.4	2244	41.0	3672	46.3	1328
4q1	74.5	2616	108.3	2244	77.8	3672	72.0	1328
No. mothers	[1577]		[1502]		[1902]		[726]	
Total								
NN	46.9	4701	51.2	4077	44.3	5380	39.3	3518
P-NN	60.3	4262	39.4	3798	40.2	4964	33.9	3250
1q0	107.2	4262	90.6	3798	84.5	4964	73.2	3250
2q0	137.7	4059	127.7	3630	118.0	4824	98.4	3098
5q0	173.4	3107	184.8	2634	151.6	3995	135.0	2537
1q1	34.2	4059	40.8	3630	36.6	4824	27.2	3098
3q2	41.4	3107	65.5	2634	38.1	3995	40.6	2537
4q1	74.1	3107	103.6	2634	73.3	3995	66.7	2537
No. mothers	[1899]		[1777]		[2084]		[1500]	

NIGERIA 1981-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	30.2	3638						
P-NN	38.8	3358						
1q0	69.0	3358						
2q0	92.1	3182						
5q0	126.0	2414						
1q1	24.7	3182						
3q2	37.3	2414						
4q1	61.1	2414						
No. mothers	[1553]					

Rural

NN	49.6	14037						
P-NN	45.5	12916						
1q0	95.0	12916						
2q0	129.2	12429						
5q0	170.7	9860						
1q1	37.7	12429						
3q2	47.7	9860						
4q1	83.6	9860						
No. mothers	[5707]					

Total

NN	45.6	17676						
P-NN	44.1	16274						
1q0	89.7	16274						
2q0	121.6	15611						
5q0	161.7	12274						
1q1	35.1	15611						
3q2	45.6	12274						
4q1	79.1	12274						
No. mothers	[7260]					

SENEGAL 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Cap-Vert		Casamance		Diourbel		Fleuve	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	33.1	1270	(33.9)	177	(35.5)	141	(61.4)	147
P-NN	35.0	1175	(47.1)	157	(57.2)	126	(34.6)	132
1q0	68.1	1175	(81.0)	157	(92.7)	126	(96.0)	132
2q0	96.4	1104	(130.0)	150	(154.2)	118	(140.5)	122
5q0	136.1	889	(191.2)	112	(230.2)	93	(180.0)	102
1q1	30.3	1104	(53.3)	150	(67.8)	118	(49.2)	122
3q2	43.9	889	(70.3)	112	(89.8)	93	(46.0)	102
4q1	72.9	889	(119.9)	112	(151.5)	93	(92.9)	102
No. mothers	[510]		[76]		[68]		[54]	
Rural								
NN	(0.0)	7	87.7	929	41.5	542	43.3	647
P-NN	(166.7)	6	106.6	774	(72.0)	480	68.5	570
1q0	(166.7)	6	194.3	774	(113.5)	480	111.8	570
2q0	(166.7)	4	299.5	709	(228.2)	441	156.9	542
5q0	(375.0)	2	(384.7)	499	(381.8)	249	(241.5)	432
1q1	(0.0)	4	130.6	709	(129.4)	441	50.8	542
3q2	(250.0)	2	(121.6)	499	(199.0)	249	(100.4)	432
4q1	(250.0)	2	(236.3)	499	(302.6)	249	(146.0)	432
No. mothers	[3]		[386]		[234]		[240]	
Total								
NN	32.9	1277	79.1	1106	40.3	683	46.7	793
P-NN	35.7	1181	97.3	931	68.9	606	62.2	702
1q0	68.6	1181	176.4	931	109.2	606	108.8	702
2q0	96.7	1108	272.8	859	212.8	559	153.8	664
5q0	137.1	891	354.5	611	(349.4)	342	230.4	534
1q1	30.2	1108	117.1	859	116.4	559	50.5	664
3q2	44.7	891	112.4	611	(173.5)	342	90.5	534
4q1	73.6	891	216.3	611	(269.7)	342	136.4	534
No. mothers	[513]		[462]		[302]		[294]	

SENEGAL 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	S. Oriental		S. Saloum		Thies		Louga	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(12.2)	82	(41.8)	263	(25.8)	233	(12.2)	82
P-NN	(49.9)	76	(41.4)	237	(27.9)	222	(76.0)	77
1q0	(62.1)	76	(83.2)	237	(53.7)	222	(88.2)	77
2q0	(108.0)	72	(109.2)	230	(62.7)	209	(94.8)	70
5q0	(221.8)	47	(151.8)	191	(132.9)	159	(161.1)	62
1q1	(49.0)	72	(28.3)	230	(9.6)	209	(7.2)	70
3q2	(127.6)	47	(47.8)	191	(74.9)	159	(73.2)	62
4q1	(170.3)	47	(74.8)	191	(83.7)	159	(79.9)	62
No. mothers	[40]		[110]		[106]		[33]	
Rural								
NN	(93.4)	439	51.7	1363	47.5	685	52.9	587
P-NN	(90.7)	351	77.3	1208	59.4	613	60.2	524
1q0	(184.1)	351	129.0	1208	106.9	613	113.1	524
2q0	(270.4)	322	217.7	1130	194.3	572	(173.2)	487
5q0	(359.3)	237	311.2	781	(300.3)	394	(315.6)	350
1q1	(105.8)	322	101.8	1130	97.9	572	(67.8)	487
3q2	(121.9)	237	119.6	781	(131.5)	394	(172.3)	350
4q1	(214.8)	237	209.2	781	(216.5)	394	(228.4)	350
No. mothers	[187]		[548]		[282]		[245]	
Total								
NN	80.6	521	50.1	1626	42.0	917	47.9	669
P-NN	(84.1)	427	71.6	1444	51.3	834	62.1	601
1q0	(164.7)	427	121.7	1444	93.2	834	110.0	601
2q0	(244.4)	393	200.2	1360	160.6	781	163.6	557
5q0	(337.6)	284	285.3	972	257.5	553	(296.4)	412
1q1	(95.4)	393	89.4	1360	74.3	781	60.2	557
3q2	(123.3)	284	106.5	972	115.4	553	(158.9)	412
4q1	(206.9)	284	186.3	972	181.2	553	(209.5)	412
No. mothers	[227]		[658]		[388]		[278]	

SENEGAL 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	33.8	2394						
P-NN	39.1	2200						
1q0	72.9	2200						
2q0	103.4	2073						
5q0	153.3	1653						
1q1	32.8	2073						
3q2	55.8	1653						
4q1	86.7	1653						
No. mothers	[997]					

Rural

NN	59.1	5198						
P-NN	77.8	4525						
1q0	136.9	4525						
2q0	222.1	4205						
5q0	325.9	2943						
1q1	98.7	4205						
3q2	133.5	2943						
4q1	219.0	2943						
No. mothers	[2125]					

Total

NN	51.1	7591						
P-NN	65.6	6725						
1q0	116.7	6725						
2q0	184.6	6278						
5q0	271.7	4596						
1q1	76.9	6278						
3q2	106.8	4596						
4q1	175.5	4596						
No. mothers	[3122]					

EGYPT 1980

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Cairo		Alexandria		Cities <lower>		Cities <upper>	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	44.7	2638	34.6	752	58.2	911	(41.3)	448
P-NN	77.9	2345	57.7	697	70.1	802	(67.0)	395
1q0	122.6	2345	92.3	697	128.2	802	(108.3)	395
2q0	153.7	2190	113.6	682	163.6	753	(153.1)	369
5q0	177.4	1924	126.2	661	182.7	668	(180.2)	322
1q1	35.4	2190	23.5	682	40.5	753	(50.2)	369
3q2	28.0	1924	14.2	661	22.9	668	(32.1)	322
4q1	62.4	1924	37.4	661	62.4	668	(80.7)	322
No. mothers	[1439]		[430]		[477]		[212]	
Rural								
NN	--	0	--	0	--	0	--	0
P-NN	--	0	--	0	--	0	--	0
1q0	--	0	--	0	--	0	--	0
2q0	--	0	--	0	--	0	--	0
5q0	--	2	--	0	--	0	--	0
1q1	--	0	--	0	--	0	--	0
3q2	--	2	--	0	--	0	--	0
4q1	--	2	--	0	--	0	--	0
No. mothers	[1]		[0]		[0]		[0]	
Total								
NN	44.7	2638	34.6	752	58.2	911	(41.3)	448
P-NN	77.9	2345	57.7	697	70.1	802	(67.0)	395
1q0	122.6	2345	92.3	697	128.2	802	(108.3)	395
2q0	153.7	2190	113.6	682	163.6	753	(153.1)	369
5q0	177.4	1926	126.2	661	182.7	668	(180.2)	322
1q1	35.4	2190	23.5	682	40.5	753	(50.2)	369
3q2	28.0	1926	14.2	661	22.9	668	(32.1)	322
4q1	62.4	1926	37.4	661	62.4	668	(80.7)	322
No. mothers	[1440]		[430]		[477]		[212]	

EGYPT 1980

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Towns <lower>		Towns <upper>		Villages <lower>		Villages <lower>	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	41.2	875	59.8	854	--	0	--	0
P-NN	49.7	775	108.6	708	--	0	--	0
1q0	90.9	775	168.4	708	--	0	--	0
2q0	123.3	729	207.1	666	--	0	--	0
5q0	146.4	606	230.1	552	--	0	--	0
1q1	35.7	729	46.6	666	--	0	--	0
3q2	26.4	606	29.0	552	--	0	--	0
4q1	61.1	606	74.2	552	--	0	--	0
No. mothers	[435]		[350]		[0]		[0]	
Rural								
NN	--	0	(0.0)	4	54.2	6224	95.9	4623
P-NN	--	0	(250.0)	3	59.8	5592	99.9	3896
1q0	--	0	(250.0)	3	114.0	5592	195.8	3896
2q0	--	0	(250.0)	3	158.7	5339	244.7	3642
5q0	--	0	(250.0)	4	194.1	4444	288.3	2909
1q1	--	0	(0.0)	3	50.4	5339	60.8	3642
3q2	--	0	(0.0)	4	42.0	4444	57.7	2909
4q1	--	0	(0.0)	4	90.3	4444	115.0	2909
No. mothers	[0]		[2]		[2545]		[1926]	
Total								
NN	41.2	875	59.5	858	54.2	6224	95.9	4623
P-NN	49.7	775	109.3	711	59.8	5592	99.9	3896
1q0	90.9	775	168.8	711	114.0	5592	195.8	3896
2q0	123.3	729	207.3	669	158.7	5339	244.7	3642
5q0	146.4	606	230.2	556	194.1	4444	288.3	2909
1q1	35.7	729	46.4	669	50.4	5339	60.8	3642
3q2	26.4	606	28.8	556	42.0	4444	57.7	2909
4q1	61.1	606	73.9	556	90.3	4444	115.0	2909
No. mothers	[435]		[352]		[2545]		[1926]	

EGYPT 1980

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	46.7	6477						
P-NN	73.9	5720						
1q0	120.6	5720						
2q0	153.2	5388						
5q0	174.9	4732						
1q1	37.0	5388						
3q2	25.6	4732						
4q1	61.7	4732						
No. mothers	[3343]							

Rural

NN	72.0	10851						
P-NN	77.0	9491						
1q0	149.0	9491						
2q0	195.5	8984						
5q0	234.4	7359						
1q1	54.6	8984						
3q2	48.3	7359						
4q1	100.3	7359						
No. mothers	[4474]							

Total

NN	62.5	17327						
P-NN	75.9	15211						
1q0	138.4	15211						
2q0	179.8	14371						
5q0	212.3	12091						
1q1	48.0	14371						
3q2	39.7	12091						
4q1	85.8	12091						
No. mothers	[7817]							

MAURITANIA 1981-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Hodh oriental		Hodh occidental		Assaba		Gorgol	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(22.7)	148	(55.6)	15	(12.7)	66	(30.5)	110
P-NN	(56.9)	135	(0.0)	15	(12.7)	62	(15.5)	103
1q0	(79.6)	135	(55.6)	15	(25.5)	62	(46.0)	103
2q0	(135.2)	125	(152.4)	16	(67.5)	58	(93.5)	101
5q0	(187.8)	98	(152.4)	18	(82.8)	49	(109.4)	94
1q1	(60.4)	125	(102.6)	16	(43.2)	58	(49.8)	101
3q2	(60.8)	98	(0.0)	18	(16.4)	49	(17.5)	94
4q1	(117.5)	98	(102.6)	18	(58.9)	49	(66.4)	94
No. mothers	[70]		[13]		[34]		[53]	
Rural								
NN	(67.4)	224	(36.0)	373	34.4	683	54.2	851
P-NN	(74.8)	200	(22.7)	345	14.8	645	35.6	767
1q0	(142.2)	200	(58.7)	345	49.2	645	89.8	767
2q0	(164.6)	193	(89.4)	334	70.8	628	149.5	741
5q0	(255.7)	158	(182.0)	258	110.3	543	234.4	597
1q1	(26.1)	193	(32.7)	334	22.7	628	65.6	741
3q2	(109.1)	158	(101.7)	258	42.5	543	99.8	597
4q1	(132.4)	158	(131.0)	258	64.2	543	158.9	597
No. mothers	[101]		[171]		[280]		[327]	
Total								
NN	(49.7)	372	(36.8)	388	32.5	749	51.5	961
P-NN	(67.8)	334	(21.8)	360	14.6	707	33.3	870
1q0	(117.5)	334	(58.6)	360	47.1	707	84.8	870
2q0	(152.4)	318	(92.4)	350	70.4	687	143.1	842
5q0	(229.2)	256	(179.6)	276	108.0	591	219.8	691
1q1	(39.6)	318	(35.9)	350	24.4	687	63.7	842
3q2	(90.6)	256	(96.1)	276	40.4	591	89.5	691
4q1	(126.6)	256	(128.6)	276	63.8	591	147.6	691
No. mothers	[171]		[184]		[315]		[380]	

MAURITANIA 1981-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Brakna		Trarza		Adrar		Nouadhibu	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(44.4)	76	(35.4)	380	(12.0)	210	(51.5)	228
P-NN	(79.1)	67	(62.7)	340	(48.2)	199	(68.3)	202
1q0	(123.6)	67	(98.1)	340	(60.2)	199	(119.8)	202
2q0	(159.3)	62	(148.3)	324	(121.1)	194	(155.5)	186
5q0	(266.4)	44	(201.3)	259	(177.0)	155	(190.3)	149
1q1	(40.8)	62	(55.6)	324	(64.8)	194	(40.5)	186
3q2	(127.3)	44	(62.3)	259	(63.5)	155	(41.2)	149
4q1	(162.9)	44	(114.4)	259	(124.2)	155	(80.0)	149
No. mothers	[27]		[163]		[81]		[86]	
Rural								
NN	68.6	721	46.4	651	(50.3)	150	--	0
P-NN	32.0	628	54.7	572	(34.1)	138	--	0
1q0	100.7	628	101.2	572	(84.4)	138	--	0
2q0	144.8	607	138.6	544	(142.7)	132	--	0
5q0	(256.7)	460	(196.6)	429	(225.2)	102	--	0
1q1	49.0	607	41.6	544	(63.7)	132	--	0
3q2	(130.9)	460	(67.4)	429	(96.2)	102	--	0
4q1	(173.5)	460	(106.2)	429	(153.8)	102	--	0
No. mothers	[286]		[255]		[59]		[0]	
Total								
NN	66.4	797	42.3	1030	(28.0)	360	(51.5)	228
P-NN	36.5	695	57.7	912	(42.3)	338	(68.3)	202
1q0	102.9	695	100.0	912	(70.2)	338	(119.8)	202
2q0	146.2	669	142.2	868	(130.1)	326	(155.5)	186
5q0	257.7	504	198.4	688	(197.1)	257	(190.3)	149
1q1	48.3	669	46.9	868	(64.4)	326	(40.5)	186
3q2	130.5	504	65.5	688	(77.1)	257	(41.2)	149
4q1	172.5	504	109.3	688	(136.5)	257	(80.0)	149
No. mothers	[313]		[418]		[139]		[86]	

MAURITANIA 1981-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Tagant		Guidimaka		Tiris Zemmour		Inchiri	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(60.9)	117	(18.6)	135	(46.8)	162	(63.9)	92
P-NN	(21.2)	109	(84.8)	120	(37.8)	146	(128.6)	78
1q0	(82.1)	109	(103.4)	120	(84.6)	146	(192.5)	78
2q0	(124.8)	108	(149.2)	115	(141.3)	135	(192.5)	73
5q0	(177.4)	88	(188.7)	92	(199.1)	104	(222.3)	57
1q1	(46.5)	108	(51.1)	115	(61.9)	135	(0.0)	73
3q2	(60.1)	88	(46.4)	92	(67.4)	104	(36.8)	57
4q1	(103.8)	88	(95.2)	92	(125.2)	104	(36.8)	57
No. mothers	[43]		[54]		[60]		[33]	
Rural								
NN	(60.6)	111	63.4	702	--	0	--	0
P-NN	(31.1)	102	51.3	615	--	0	--	0
1q0	(91.7)	102	114.6	615	--	0	--	0
2q0	(91.7)	94	150.9	583	--	0	--	0
5q0	(169.0)	70	(222.2)	456	--	0	--	0
1q1	(0.0)	94	41.0	583	--	0	--	0
3q2	(85.1)	70	(83.9)	456	--	0	--	0
4q1	(85.1)	70	(121.5)	456	--	0	--	0
No. mothers	[37]		[277]		[0]		[0]	
Total								
NN	(60.8)	228	56.1	837	(46.8)	162	(63.9)	92
P-NN	(25.7)	211	56.7	735	(37.8)	146	(128.6)	78
1q0	(86.5)	211	112.8	735	(84.6)	146	(192.5)	78
2q0	(109.2)	202	150.7	698	(141.3)	135	(192.5)	73
5q0	(172.4)	159	216.6	549	(199.1)	104	(222.3)	57
1q1	(24.9)	202	42.7	698	(61.9)	135	(0.0)	73
3q2	(70.9)	159	77.6	549	(67.4)	104	(36.8)	57
4q1	(94.1)	159	117.0	549	(125.2)	104	(36.8)	57
No. mothers	[80]		[331]		[60]		[33]	

MAURITANIA 1981-2

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Nouakchott		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	40.4	1445	38.0	3182				
P-NN	29.1	1333	44.0	2909				
1q0	69.5	1333	82.0	2909				
2q0	99.0	1281	120.8	2780				
5q0	140.4	1021	165.1	2227				
1q1	31.8	1281	42.3	2780				
3q2	46.0	1021	50.4	2227				
4q1	76.3	1021	90.5	2227				
No. mothers	[597]		[1313]					
Rural								
NN	--	0	53.0	4465				
P-NN	--	0	37.7	4011				
1q0	--	0	90.7	4011				
2q0	--	0	129.3	3857				
5q0	--	0	206.1	3074				
1q1	--	0	42.4	3857				
3q2	--	0	88.2	3074				
4q1	--	0	126.9	3074				
No. mothers	[0]		[1793]					
Total								
NN	40.4	1445	46.7	7647				
P-NN	29.1	1333	40.4	6920				
1q0	69.5	1333	87.1	6920				
2q0	99.0	1281	125.8	6636				
5q0	140.4	1021	189.1	5301				
1q1	31.8	1281	42.4	6636				
3q2	46.0	1021	72.5	5301				
4q1	76.3	1021	111.8	5301				
No. mothers	[597]		[3106]					

MOROCCO 1980

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Nord-Ouest		Centre-Nord		Centre		Oriental	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	63.7	832	(44.3)	362	(27.6)	181	(44.4)	203
P-NN	49.8	771	(28.0)	336	(67.1)	163	(20.1)	184
1q0	113.5	771	(72.3)	336	(94.7)	163	(64.6)	184
2q0	137.1	752	(90.6)	328	(123.8)	156	(84.1)	192
5q0	160.6	689	(113.3)	314	(130.0)	142	(94.0)	182
1q1	26.6	752	(19.8)	328	(32.2)	156	(20.9)	192
3q2	27.2	689	(24.9)	314	(7.1)	142	(10.8)	182
4q1	53.1	689	(44.2)	314	(39.0)	142	(31.4)	182
No. mothers	[381]		[156]		[92]		[95]	
Rural								
NN	65.8	1269	51.0	893	(41.7)	288	(80.8)	427
P-NN	48.0	1118	53.2	793	(38.8)	266	(44.9)	376
1q0	113.8	1118	104.2	793	(80.5)	266	(125.7)	376
2q0	150.7	1071	142.4	761	(94.7)	259	(165.7)	361
5q0	195.4	834	166.9	664	(109.5)	226	(202.0)	303
1q1	41.6	1071	42.7	761	(15.5)	259	(45.7)	361
3q2	52.7	834	28.6	664	(16.4)	226	(43.5)	303
4q1	92.1	834	70.1	664	(31.6)	226	(87.2)	303
No. mothers	[453]		[348]		[114]		[166]	
Total								
NN	65.0	2101	49.0	1254	(36.2)	469	69.1	630
P-NN	48.8	1889	45.9	1129	(49.8)	429	37.1	560
1q0	113.7	1889	94.9	1129	(86.0)	429	106.2	560
2q0	145.1	1822	127.3	1089	(105.9)	414	139.3	553
5q0	180.8	1523	151.3	978	(117.6)	367	(166.5)	485
1q1	35.4	1822	35.8	1089	(21.7)	414	37.1	553
3q2	41.8	1523	27.4	978	(13.1)	367	(31.5)	485
4q1	75.7	1523	62.2	978	(34.5)	367	(67.5)	485
No. mothers	[834]		[504]		[206]		[261]	

MOROCCO 1980

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Centre-sud		Tensift		Sud		ALL REGIONS	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	35.0	942	(29.7)	236	(30.3)	165	43.9	2919
P-NN	34.9	897	(29.7)	224	(80.8)	147	41.5	2721
1q0	69.9	897	(59.5)	224	(111.1)	147	85.3	2721
2q0	78.9	886	(63.7)	223	(117.2)	145	101.0	2681
5q0	88.9	864	(67.8)	224	(141.6)	144	116.5	2558
1q1	9.6	886	(4.5)	223	(6.9)	145	17.2	2681
3q2	10.9	864	(4.4)	224	(27.7)	144	17.2	2558
4q1	20.4	864	(8.9)	224	(34.4)	144	34.1	2558
No. mothers	[469]		[133]		[75]		[1401]	
Rural								
NN	41.0	1098	48.5	989	75.7	845	57.2	5809
P-NN	34.9	1015	38.2	908	51.9	745	44.5	5219
1q0	75.9	1015	86.8	908	127.6	745	101.8	5219
2q0	99.4	984	129.9	869	166.5	717	136.7	5020
5q0	117.5	828	166.2	673	205.6	601	168.8	4128
1q1	25.4	984	47.2	869	44.6	717	38.9	5020
3q2	20.1	828	41.7	673	46.9	601	37.2	4128
4q1	45.0	828	86.9	673	89.4	601	74.7	4128
No. mothers	[431]		[371]		[341]		[2224]	
Total								
NN	38.2	2040	44.9	1225	68.3	1010	52.8	8728
P-NN	34.9	1912	36.6	1131	56.5	892	43.5	7940
1q0	73.2	1912	81.5	1131	124.8	892	96.3	7940
2q0	89.8	1870	116.9	1092	158.3	862	124.6	7701
5q0	104.0	1692	146.1	897	194.8	745	150.8	6685
1q1	17.9	1870	38.5	1092	38.3	862	31.4	7701
3q2	15.6	1692	33.1	897	43.4	745	29.9	6685
4q1	33.3	1692	70.3	897	80.0	745	60.3	6685
No. mothers	[900]		[504]		[416]		[3625]	

SUDAN 1979-80

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Khartoum		Northern		Eastern		Central	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	48.0	714	(58.4)	98	(25.8)	444	(41.5)	306
P-NN	32.8	665	(20.3)	87	(51.3)	418	(23.1)	288
1q0	80.8	665	(78.7)	87	(77.0)	418	(64.6)	288
2q0	113.4	645	(92.8)	83	(110.5)	402	(93.3)	280
5q0	130.2	588	(153.7)	74	(138.1)	355	(118.9)	257
1q1	35.5	645	(15.3)	83	(36.3)	402	(30.6)	280
3q2	19.0	588	(67.1)	74	(31.0)	355	(28.2)	257
4q1	53.8	588	(81.4)	74	(66.2)	355	(58.0)	257
No. mothers	[297]		[41]		[168]		[112]	
Rural								
NN	(48.1)	185	(36.4)	489	34.4	702	45.2	1940
P-NN	(48.4)	168	(52.9)	454	32.9	646	42.2	1763
1q0	(96.5)	168	(89.3)	454	67.2	646	87.4	1763
2q0	(114.6)	159	(120.7)	441	110.9	624	125.3	1697
5q0	(184.7)	122	(137.7)	401	(168.2)	478	175.5	1422
1q1	(20.0)	159	(34.5)	441	46.8	624	41.5	1697
3q2	(79.2)	122	(19.3)	401	(64.5)	478	57.4	1422
4q1	(97.7)	122	(53.2)	401	(108.3)	478	96.5	1422
No. mothers	[67]		[184]		[235]		[682]	
Total								
NN	48.0	899	40.0	587	31.0	1146	44.7	2246
P-NN	36.0	833	47.5	541	40.0	1063	39.6	2052
1q0	84.0	833	87.6	541	71.1	1063	84.3	2052
2q0	113.7	804	116.3	524	110.7	1026	120.9	1977
5q0	140.7	710	(140.1)	475	155.8	833	167.5	1680
1q1	32.4	804	31.5	524	42.7	1026	40.0	1977
3q2	30.4	710	(26.9)	475	50.7	833	53.1	1680
4q1	61.8	710	(57.5)	475	91.2	833	90.9	1680
No. mothers	[364]		[225]		[403]		[794]	

SUDAN 1979-80

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Kordofan		Darfur		ALL REGIONS			
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(27.8)	148	(45.0)	212	40.5	1922		
P-NN	(21.5)	143	(30.9)	194	33.8	1794		
1q0	(49.4)	143	(75.9)	194	74.3	1794		
2q0	(53.7)	138	(96.3)	187	102.1	1735		
5q0	(72.8)	114	(106.2)	162	124.3	1550		
1q1	(4.6)	138	(22.1)	187	30.0	1735		
3q2	(20.1)	114	(11.0)	162	24.8	1550		
4q1	(24.6)	114	(32.9)	162	54.0	1550		
No. mothers	[54]		[80]		[751]			
Rural								
NN	20.1	820	66.1	1403	44.7	5540		
P-NN	30.8	772	28.6	1262	37.0	5065		
1q0	50.9	772	94.7	1262	81.8	5065		
2q0	64.1	732	117.3	1219	111.7	4872		
5q0	113.5	602	145.4	1044	154.5	4069		
1q1	13.9	732	25.0	1219	32.6	4872		
3q2	52.8	602	31.8	1044	48.2	4069		
4q1	65.9	602	56.0	1044	79.2	4069		
No. mothers	[296]		[549]		[2013]			
Total								
NN	21.3	969	63.3	1615	43.6	7461		
P-NN	29.3	915	28.9	1456	36.2	6859		
1q0	50.6	915	92.2	1456	79.8	6859		
2q0	62.4	870	114.5	1406	109.2	6608		
5q0	107.1	716	140.3	1206	146.5	5619		
1q1	12.4	870	24.6	1406	31.9	6608		
3q2	47.7	716	29.1	1206	41.9	5619		
4q1	59.5	716	53.0	1206	72.4	5619		
No. mothers	[350]		[629]		[2764]			

TUNISIA 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Tunis		Nord-Ouest		Nord-Est		Centre	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	38.6	1347	(27.0)	259	25.4	551	(54.4)	239
P-NN	29.9	1257	(64.4)	240	31.1	528	(55.1)	206
1q0	68.6	1257	(91.4)	240	56.5	528	(109.5)	206
2q0	81.0	1234	(105.4)	228	73.1	511	(122.9)	199
5q0	88.6	1209	(132.7)	224	(78.8)	466	(127.5)	180
1q1	13.4	1234	(15.4)	228	17.6	511	(15.1)	199
3q2	8.3	1209	(30.6)	224	(6.2)	466	(5.2)	180
4q1	21.5	1209	(45.4)	224	(23.7)	466	(20.3)	180
No. mothers	[660]		[108]		[244]		[91]	
Rural								
NN	(24.8)	121	35.0	1115	24.9	742	39.8	1283
P-NN	(25.0)	112	45.5	1030	29.2	706	39.2	1154
1q0	(49.8)	112	80.5	1030	54.1	706	79.0	1154
2q0	(49.8)	106	110.6	1010	69.9	690	118.4	1100
5q0	(59.7)	82	141.6	885	86.3	613	153.3	841
1q1	(0.0)	106	32.7	1010	16.7	690	42.7	1100
3q2	(10.4)	82	34.8	885	17.7	613	39.7	841
4q1	(10.4)	82	66.4	885	34.0	613	80.7	841
No. mothers	[49]		[435]		[282]		[434]	
Total								
NN	37.5	1468	33.5	1374	25.1	1293	42.0	1522
P-NN	29.6	1369	49.0	1270	30.0	1233	41.8	1360
1q0	67.0	1369	82.5	1270	55.1	1233	83.8	1360
2q0	78.5	1340	109.6	1238	71.3	1200	119.1	1298
5q0	86.3	1290	139.9	1109	83.1	1079	149.0	1020
1q1	12.3	1340	29.5	1238	17.1	1200	38.5	1298
3q2	8.5	1290	34.1	1109	12.7	1079	33.9	1020
4q1	20.7	1290	62.5	1109	29.6	1079	71.2	1020
No. mothers	[709]		[543]		[526]		[525]	

TUNISIA 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Sahel		Sud		ALL REGIONS				
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure	
Urban									
NN	40.6	1059	31.4	541	36.5	3996			
P-NN	37.4	1007	61.0	508	40.1	3745			
1q0	78.0	1007	92.5	508	76.6	3745			
2q0	91.5	990	(117.6)	488	91.8	3649			
5q0	95.2	964	(151.1)	454	102.7	3495			
1q1	14.6	990	(27.7)	488	16.4	3649			
3q2	4.1	964	(38.0)	454	12.0	3495			
4q1	18.7	964	(64.6)	454	28.3	3495			
No. mothers	[479]	[245]	[1827]
Rural									
NN	42.5	1060	51.9	847	38.8	5167			
P-NN	33.4	972	57.8	742	40.6	4715			
1q0	75.9	972	109.8	742	79.4	4715			
2q0	91.7	938	143.0	683	106.4	4526			
5q0	104.6	815	174.2	529	131.9	3764			
1q1	17.1	938	37.4	683	29.4	4526			
3q2	14.3	815	36.3	529	28.6	3764			
4q1	31.1	815	72.4	529	57.1	3764			
No. mothers	[436]	[311]	[1947]
Total									
NN	41.5	2119	43.9	1388	37.8	9162			
P-NN	35.5	1979	59.1	1249	40.3	8459			
1q0	77.0	1979	103.0	1249	78.2	8459			
2q0	91.6	1928	132.9	1171	99.9	8175			
5q0	99.7	1779	165.0	983	118.7	7259			
1q1	15.8	1928	33.3	1171	23.6	8175			
3q2	8.9	1779	37.0	983	20.9	7259			
4q1	24.6	1779	69.1	983	44.0	7259			
No. mothers	[915]	[556]	[3774]

EJL 1979

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	CENTRAL		WESTERN		NORTHERN		EASTERN	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	37.9	1216	47.3	1211	(38.9)	189	(0.0)	4
2q0	39.5	1202	49.7	1202	(38.9)	187	(0.0)	4
5q0	42.7	1200	55.9	1208	(44.2)	181	(0.0)	2
1q1	1.7	1202	2.5	1202	(0.0)	187	(0.0)	4
3q2	3.3	1200	6.6	1208	(5.5)	181	(0.0)	2
4q1	5.0	1200	9.1	1208	(5.5)	181	(0.0)	2
No. mothers	[800]		[665]		[89]		[1]	
Rural								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	49.0	1558	57.9	2360	50.2	1603	(40.7)	324
2q0	54.9	1543	62.6	2347	55.8	1609	(51.1)	323
5q0	65.1	1441	66.0	2290	58.8	1555	(54.1)	311
1q1	6.2	1543	4.9	2347	5.9	1609	(10.9)	323
3q2	10.8	1441	3.6	2290	3.2	1555	(3.1)	311
4q1	16.9	1441	8.5	2290	9.0	1555	(13.9)	311
No. mothers	[728]		[1148]		[775]		[146]	
Total								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	44.1	2774	54.3	3571	49.0	1792	(40.2)	328
2q0	48.2	2744	58.2	3549	54.0	1795	(50.5)	326
5q0	55.3	2640	62.6	3498	57.3	1735	(53.5)	313
1q1	4.2	2744	4.1	3549	5.3	1795	(10.7)	326
3q2	7.5	2640	4.7	3498	3.4	1735	(3.1)	313
4q1	11.6	2640	8.7	3498	8.7	1735	(13.8)	313
No. mothers	[1528]		[1813]		[864]		[147]	

* Codes did not separate neonatal and post-neonatal deaths.

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	*						
P-NN	--	*						
1q0	42.3	2620						
2q0	44.1	2593						
5q0	48.9	2590						
1q1	1.9	2593						
3q2	5.0	2590						
4q1	6.9	2590						
No. mothers	[1555]							
Rural								
NN	--	*						
P-NN	--	*						
1q0	52.5	5845						
2q0	58.0	5821						
5q0	63.1	5596						
1q1	5.8	5821						
3q2	5.3	5596						
4q1	11.1	5596						
No. mothers	[2797]							
Total								
NN	--	*						
P-NN	--	*						
1q0	49.3	8464						
2q0	53.7	8414						
5q0	58.7	8186						
1q1	4.6	8414						
3q2	5.2	8186						
4q1	9.8	8186						
No. mothers	[4352]							

* Codes did not separate neonatal and post-neonatal deaths.

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	D.K.I. JAKARTA		WEST JAVA		CENTRAL JAVA		D.I. YOGYAKARTA	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	32.1	984	40.4	512	(28.1)	388	(30.0)	48
P-NN	29.4	921	(35.1)	480	(34.0)	371	(39.4)	46
1q0	61.5	921	(75.4)	480	(62.2)	371	(69.4)	46
2q0	87.8	888	(93.6)	460	(76.2)	364	(99.1)	45
5q0	123.9	806	(135.5)	425	(106.8)	350	(124.3)	43
1q1	28.0	888	(19.6)	460	(15.0)	364	(31.9)	45
3q2	39.6	806	(46.3)	425	(33.1)	350	(27.9)	43
4q1	66.5	806	(65.0)	425	(47.6)	350	(59.0)	43
No. mothers	[456]		[247]		[207]		[30]	
Rural								
NN	--	0	57.6	4210	45.9	4004	(53.4)	334
P-NN	--	0	54.7	3798	42.0	3701	(29.4)	316
1q0	--	0	112.3	3798	87.9	3701	(82.8)	316
2q0	--	0	148.6	3595	112.8	3647	(101.7)	312
5q0	--	0	210.4	3169	155.6	3435	(125.4)	300
1q1	--	0	40.9	3595	27.3	3647	(20.6)	312
3q2	--	0	72.5	3169	48.2	3435	(26.3)	300
4q1	--	0	110.5	3169	74.2	3435	(46.4)	300
No. mothers	[0]		[2001]		[2078]		[197]	
Total								
NN	32.1	984	55.7	4722	44.3	4392	(50.5)	381
P-NN	29.4	921	52.6	4278	41.3	4072	(30.6)	363
1q0	61.5	921	108.3	4278	85.6	4072	(81.1)	363
2q0	87.8	888	142.7	4055	109.6	4011	(101.4)	356
5q0	123.9	806	202.2	3594	151.3	3784	(125.2)	343
1q1	28.0	888	38.5	4055	26.2	4011	(22.1)	356
3q2	39.6	806	69.4	3594	46.8	3784	(26.5)	343
4q1	66.5	806	105.3	3594	71.8	3784	(48.0)	343
No. mothers	[456]		[2247]		[2285]		[227]	

INDONESIA 1976

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	EAST JAVA		BALI		ALL REGIONS			
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	30.1	556	(21.3)	30	32.6	2517		
P-NN	45.2	522	(28.7)	28	35.0	2368		
1q0	75.3	522	(49.9)	28	67.5	2368		
2q0	97.2	510	(49.9)	28	89.0	2295		
5q0	(119.0)	476	(75.7)	26	121.8	2125		
1q1	23.7	510	(0.0)	28	23.0	2295		
3q2	(24.2)	476	(27.1)	26	36.0	2125		
4q1	(47.3)	476	(27.1)	26	58.2	2125		
No. mothers	[312]		[15]		[1266]			
Rural								
NN	46.5	3764	(72.4)	351	50.9	12663		
P-NN	59.7	3529	(51.8)	311	51.4	11655		
1q0	106.2	3529	(124.1)	311	102.3	11655		
2q0	132.1	3428	(140.3)	302	130.8	11284		
5q0	157.3	3247	(167.6)	271	173.0	10422		
1q1	29.0	3428	(18.4)	302	31.8	11284		
3q2	29.0	3247	(31.8)	271	48.6	10422		
4q1	57.2	3247	(49.7)	271	78.8	10422		
No. mothers	[2236]		[151]		[6663]			
Total								
NN	44.4	4320	(68.4)	381	47.9	15180		
P-NN	57.8	4050	(50.0)	339	48.7	14023		
1q0	102.2	4050	(118.4)	339	96.6	14023		
2q0	127.7	3938	(133.3)	330	123.9	13579		
5q0	152.4	3722	(160.5)	297	164.6	12547		
1q1	28.3	3938	(16.9)	330	30.3	13579		
3q2	28.4	3722	(31.4)	297	46.4	12547		
4q1	55.9	3722	(47.8)	297	75.3	12547		
No. mothers	[2548]		[166]		[7929]			

KOREA, REP. 1974

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	SEOUL		PUSAN		KYUNGGI DO		KANGWON DO	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	24.2	1697	20.3	788	(30.8)	423	(46.8)	278
P-NN	15.2	1598	24.9	719	(11.8)	405	(25.3)	259
1q0	39.4	1598	45.2	719	(42.6)	405	(72.1)	259
2q0	43.4	1554	45.9	700	(49.8)	400	(83.0)	255
5q0	51.7	1348	55.5	618	(61.6)	345	(91.9)	254
1q1	4.2	1554	.7	700	(7.5)	400	(11.8)	255
3q2	8.7	1348	10.1	618	(12.4)	345	(9.7)	254
4q1	12.8	1348	10.8	618	(19.9)	345	(21.4)	254
No. mothers	[1045]		[468]		[242]		[134]	
Rural								
NN	(0.0)	1	(0.0)	2	37.6	532	(23.9)	335
P-NN	(0.0)	1	(0.0)	2	24.3	512	(19.3)	327
1q0	(0.0)	1	(0.0)	2	61.9	512	(43.2)	327
2q0	(0.0)	1	(0.0)	2	74.8	508	(53.3)	331
5q0	(0.0)	1	(0.0)	1	(84.1)	500	(78.4)	336
1q1	(0.0)	1	(0.0)	2	13.8	508	(10.6)	331
3q2	(0.0)	1	(0.0)	1	(10.0)	500	(26.5)	336
4q1	(0.0)	1	(0.0)	1	(23.7)	500	(36.8)	336
No. mothers	[1]		[1]		[308]		[167]	
Total								
NN	24.1	1698	20.3	790	34.6	955	34.3	613
P-NN	15.2	1599	24.8	721	18.8	916	22.0	586
1q0	39.4	1599	45.1	721	53.4	916	56.3	586
2q0	43.4	1555	45.7	702	63.8	908	66.7	586
5q0	51.7	1349	55.3	619	74.1	845	84.7	590
1q1	4.2	1555	.7	702	11.0	908	11.1	586
3q2	8.7	1349	10.0	619	11.0	845	19.3	590
4q1	12.8	1349	10.7	619	21.8	845	30.2	590
No. mothers	[1046]		[469]		[550]		[301]	

KOREA, REP. 1974

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	CHUNGCHEONG PUKDO		CHUNGCHEONG NAMDO		KYUNGSANG PUKDO		KYUNGSANG NAMDO	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(62.3)	129	(23.1)	303	28.0	535	34.5	522
P-NN	(23.3)	117	(26.5)	288	18.8	509	(19.4)	481
1q0	(85.6)	117	(49.6)	288	46.8	509	(53.9)	481
2q0	(93.7)	114	(63.1)	282	(58.3)	497	(67.3)	459
5q0	(93.7)	108	(70.1)	241	(69.3)	455	(71.9)	372
1q1	(8.8)	114	(14.2)	282	(12.1)	497	(14.2)	459
3q2	(0.0)	108	(7.5)	241	(11.7)	455	(4.9)	372
4q1	(8.8)	108	(21.5)	241	(23.6)	455	(19.0)	372
No. mothers	[66]		[164]		[332]		[291]	
Rural								
NN	(8.9)	339	27.0	574	18.5	704	(28.0)	428
P-NN	(14.7)	327	26.0	549	29.5	693	(30.2)	410
1q0	(23.6)	327	53.0	549	48.0	693	(58.3)	410
2q0	(40.2)	324	68.2	560	54.7	709	(66.2)	415
5q0	(66.5)	288	83.9	560	72.6	707	(74.1)	406
1q1	(17.0)	324	16.1	560	7.1	709	(8.4)	415
3q2	(27.4)	288	16.8	560	18.9	707	(8.4)	406
4q1	(43.9)	288	32.6	560	25.8	707	(16.8)	406
No. mothers	[161]		[275]		[351]		[216]	
Total								
NN	(23.6)	467	25.7	877	22.6	1239	31.6	950
P-NN	(17.1)	444	26.2	837	24.9	1202	24.4	891
1q0	(40.7)	444	51.8	837	47.5	1202	56.0	891
2q0	(54.9)	438	66.5	842	56.2	1205	66.8	873
5q0	(74.1)	396	79.5	801	71.4	1162	73.0	777
1q1	(14.9)	438	15.4	842	9.1	1205	11.5	873
3q2	(20.3)	396	14.0	801	16.0	1162	6.7	777
4q1	(34.8)	396	29.2	801	25.0	1162	18.1	777
No. mothers	[227]		[439]		[683]		[507]	

KOREA, REP. 1974

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	CHOLLA PUKDO		CHOLLA NAMDO		CHEJU DO		ALL REGIONS	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(31.7)	189	(33.7)	327	(19.6)	51	28.4	5240
P-NN	(0.0)	185	(12.3)	309	(78.8)	46	18.4	4913
1q0	(31.7)	185	(46.0)	309	(98.4)	46	46.9	4913
2q0	(37.2)	178	(53.8)	306	(98.4)	44	53.6	4786
5q0	(55.9)	140	(69.7)	280	(98.4)	38	62.9	4197
1q1	(5.6)	178	(8.2)	306	(0.0)	44	7.1	4786
3q2	(19.4)	140	(16.8)	280	(0.0)	38	9.8	4197
4q1	(24.9)	140	(24.8)	280	(0.0)	38	16.8	4197
No. mothers	[81]		[162]		[24]		[3009]	
Rural								
NN	27.7	578	18.5	705	(0.0)	65	23.6	4260
P-NN	12.2	552	31.9	677	(0.0)	66	24.1	4114
1q0	39.9	552	50.4	677	(0.0)	66	47.7	4114
2q0	56.6	547	64.2	689	(0.0)	67	59.8	4151
5q0	64.5	507	74.8	699	(0.0)	60	73.8	4061
1q1	17.4	547	14.5	689	(0.0)	67	12.8	4151
3q2	8.4	507	11.4	699	(0.0)	60	14.8	4061
4q1	25.6	507	25.8	699	(0.0)	60	27.4	4061
No. mothers	[233]		[321]		[35]		[2069]	
Total								
NN	28.7	767	23.3	1031	(8.7)	116	26.3	9500
P-NN	9.2	737	25.7	986	(34.0)	111	21.0	9027
1q0	37.9	737	49.0	986	(42.6)	111	47.2	9027
2q0	51.8	725	61.0	995	(42.6)	110	56.5	8937
5q0	62.1	647	73.2	978	(42.6)	98	68.1	8258
1q1	14.5	725	12.6	995	(0.0)	110	9.7	8937
3q2	10.8	647	13.0	978	(0.0)	98	12.2	8258
4q1	25.2	647	25.4	978	(0.0)	98	21.8	8258
No. mothers	[314]		[483]		[59]		[5078]	

PHILIPPINES 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	METRO MANILA		LUZON		VISAYAS		MINDANAO	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	20.3	2162	21.2	1883	21.6	1088	20.7	942
P-NN	25.2	2061	24.2	1789	23.9	1050	37.5	895
1q0	45.4	2061	45.5	1789	45.5	1050	58.2	895
2q0	54.8	1996	60.0	1774	59.8	1037	75.3	867
5q0	67.1	1823	78.1	1699	70.1	988	93.8	781
1q1	9.8	1996	15.3	1774	14.9	1037	18.2	867
3q2	13.0	1823	19.2	1699	11.0	988	19.9	781
4q1	22.7	1823	34.2	1699	25.7	988	37.7	781
No. mothers	[1102]		[859]		[475]		[392]	
Rural								
NN	--	0	27.0	7573	24.7	4374	28.1	3890
P-NN	--	0	31.5	7163	37.1	4127	40.7	3646
1q0	--	0	58.5	7163	61.8	4127	68.8	3646
2q0	--	0	71.0	7011	73.5	3970	87.9	3499
5q0	--	0	90.9	6512	98.3	3554	105.2	3011
1q1	--	0	13.2	7011	12.5	3970	20.5	3499
3q2	--	0	21.5	6512	26.7	3554	19.0	3011
4q1	--	0	34.4	6512	38.9	3554	39.1	3011
No. mothers	[0]		[2895]		[1647]		[1417]	
Total								
NN	20.3	2162	25.9	9456	24.1	5462	26.6	4832
P-NN	25.2	2061	30.1	8952	34.5	5177	40.1	4541
1q0	45.4	2061	55.9	8952	58.5	5177	66.7	4541
2q0	54.8	1996	68.8	8785	70.8	5007	85.5	4366
5q0	67.1	1823	88.4	8211	92.5	4542	103.0	3793
1q1	9.8	1996	13.6	8785	13.0	5007	20.1	4366
3q2	13.0	1823	21.0	8211	23.4	4542	19.2	3793
4q1	22.7	1823	34.3	8211	36.1	4542	38.9	3793
No. mothers	[1102]		[3754]		[2122]		[1809]	

PHILIPPINES 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	20.9	6075						
P-NN	26.6	5795						
1q0	47.4	5795						
2q0	60.5	5675						
5q0	75.2	5291						
1q1	13.7	5675						
3q2	15.6	5291						
4q1	29.1	5291						
No. mothers	[2828]							

Rural

NN	26.6	15837						
P-NN	35.3	14936						
1q0	62.0	14936						
2q0	75.8	14480						
5q0	96.5	13077						
1q1	14.8	14480						
3q2	22.4	13077						
4q1	36.8	13077						
No. mothers	[5960]							

Total

NN	25.0	21912						
P-NN	32.9	20730						
1q0	57.9	20730						
2q0	71.6	20155						
5q0	90.6	18368						
1q1	14.5	20155						
3q2	20.4	18368						
4q1	34.6	18368						
No. mothers	[8788]							

THAILAND 1975

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	NORTH		NORTH-EAST		SOUTH		CENTRAL EXCL BANGKOK	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(18.7)	97	(9.3)	123	(32.5)	64	(24.6)	127
P-NN	(20.3)	94	(26.3)	117	(0.0)	62	(35.6)	115
1q0	(39.0)	94	(35.6)	117	(32.5)	62	(60.3)	115
2q0	(39.0)	96	(35.6)	114	(32.5)	63	(60.3)	109
5q0	(56.4)	101	(44.9)	104	(47.5)	61	(84.5)	104
1q1	(0.0)	96	(0.0)	114	(0.0)	63	(0.0)	109
3q2	(18.1)	101	(9.7)	104	(15.4)	61	(25.8)	104
4q1	(18.1)	101	(9.7)	104	(15.4)	61	(25.8)	104
No. mothers	[70]		[66]		[45]		[63]	
Rural								
NN	57.8	1286	46.1	2922	37.5	862	47.3	1449
P-NN	44.1	1195	32.6	2694	35.6	799	14.6	1364
1q0	101.9	1195	78.7	2694	73.2	799	61.9	1364
2q0	116.4	1213	90.0	2640	75.1	784	66.2	1357
5q0	137.3	1221	114.2	2441	100.0	745	78.9	1352
1q1	16.2	1213	12.2	2640	2.1	784	4.6	1357
3q2	23.7	1221	26.7	2441	26.9	745	13.6	1352
4q1	39.4	1221	38.5	2441	28.9	745	18.1	1352
No. mothers	[709]		[1152]		[355]		[786]	
Total								
NN	55.0	1383	44.6	3044	37.2	925	45.5	1576
P-NN	42.4	1288	32.4	2811	33.2	861	16.2	1478
1q0	97.4	1288	77.0	2811	70.4	861	61.7	1478
2q0	111.0	1309	87.8	2754	72.2	846	65.7	1465
5q0	131.6	1322	111.5	2545	96.3	807	79.2	1456
1q1	15.0	1309	11.7	2754	1.9	846	4.3	1465
3q2	23.2	1322	26.0	2545	26.0	807	14.5	1456
4q1	37.9	1322	37.4	2545	27.9	807	18.7	1456
No. mothers	[779]		[1218]		[399]		[849]	

THAILAND 1975

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	BANGKOK, THONBURI		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(27.2)	473	23.8	884				
P-NN	(10.3)	439	16.4	826				
1q0	(37.4)	439	40.2	826				
2q0	(39.4)	440	41.3	821				
5q0	(50.8)	421	55.1	791				
1q1	(2.1)	440	1.1	821				
3q2	(11.8)	421	14.5	791				
4q1	(13.9)	421	15.5	791				
No. mothers	[267]		[511]					
Rural								
NN	--	0	47.5	6519				
P-NN	--	0	31.3	6051				
1q0	--	0	78.8	6051				
2q0	--	0	88.0	5994				
5q0	--	0	109.0	5760				
1q1	--	0	10.0	5994				
3q2	--	0	23.0	5760				
4q1	--	0	32.7	5760				
No. mothers	[0]		[3002]					
Total								
NN	(27.2)	473	44.7	7403				
P-NN	(10.3)	439	29.5	6877				
1q0	(37.4)	439	74.2	6877				
2q0	(39.4)	440	82.5	6815				
5q0	(50.8)	421	102.6	6551				
1q1	(2.1)	440	8.9	6815				
3q2	(11.8)	421	22.0	6551				
4q1	(13.9)	421	30.7	6551				
No. mothers	[267]		[3513]					

BANGLADESH 1975-6

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Rajshahi		Khulna		Dacca		Chittagong	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(79.8)	156	(67.7)	192	(57.3)	475	(66.9)	241
P-NN	(45.7)	138	(55.6)	170	(52.9)	430	(36.5)	221
1q0	(125.5)	138	(123.3)	170	(110.2)	430	(103.4)	221
2q0	(145.0)	132	(155.3)	162	(130.4)	412	(125.5)	211
5q0	(166.3)	119	(212.1)	129	(169.0)	360	(175.4)	174
1q1	(22.3)	132	(36.5)	162	(22.7)	412	(24.7)	211
3q2	(24.9)	119	(67.2)	129	(44.4)	360	(57.1)	174
4q1	(46.7)	119	(101.3)	129	(66.1)	360	(80.3)	174
No. mothers	[67]		[80]		[201]		[105]	
Rural								
NN	79.3	3080	72.7	2635	77.5	3258	64.5	3442
P-NN	64.4	2707	65.3	2292	60.9	2875	55.0	3116
1q0	143.7	2707	138.0	2292	138.4	2875	119.6	3116
2q0	175.7	2572	163.9	2210	161.9	2806	146.2	3023
5q0	224.0	2167	210.3	1937	215.8	2411	210.8	2561
1q1	37.4	2572	30.0	2210	27.2	2806	30.2	3023
3q2	58.6	2167	55.5	1937	64.4	2411	75.7	2561
4q1	93.7	2167	83.8	1937	89.9	2411	103.7	2561
No. mothers	[1221]		[1143]		[1353]		[1409]	
Total								
NN	79.3	3236	72.4	2827	74.9	3733	64.7	3683
P-NN	63.5	2845	64.7	2462	59.9	3305	53.8	3337
1q0	142.8	2845	137.0	2462	134.8	3305	118.5	3337
2q0	174.2	2705	163.3	2371	157.9	3219	144.8	3234
5q0	221.2	2286	210.3	2066	210.0	2770	208.6	2736
1q1	36.6	2705	30.4	2371	26.7	3219	29.9	3234
3q2	56.9	2286	56.2	2066	61.9	2770	74.5	2736
4q1	91.4	2286	84.9	2066	86.9	2770	102.2	2736
No. mothers	[1288]		[1222]		[1553]		[1514]	

BANGLADESH 1975-6

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban :								
NN	64.7	1065						
P-NN	48.6	959						
1q0	113.3	959						
2q0	135.9	917						
5q0	177.6	782						
1q1	25.5	917						
3q2	48.2	782						
4q1	72.5	782						
No. mothers	[452]					
Rural								
NN	73.3	12415						
P-NN	61.1	10990						
1q0	134.4	10990						
2q0	161.3	10611						
5q0	215.3	9076						
1q1	31.1	10611						
3q2	64.3	9076						
4q1	93.4	9076						
No. mothers	[5126]					
Total								
NN	72.6	13480						
P-NN	60.1	11949						
1q0	132.7	11949						
2q0	159.3	11529						
5q0	212.3	9858						
1q1	30.7	11529						
3q2	63.1	9858						
4q1	91.8	9858						
No. mothers	[5578]					

NEPAL 1976

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Hill		Terai		Mountain		Other location	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(30.7)	179	(129.0)	66	--	0	--	0
P-NN	(31.0)	169	(46.4)	56	--	0	--	0
1q0	(61.7)	169	(175.4)	56	--	0	--	0
2q0	(75.7)	165	(187.5)	52	--	0	--	0
5q0	(75.7)	152	(220.3)	47	--	0	--	0
1q1	(14.9)	165	(14.7)	52	--	0	--	0
3q2	(0.0)	152	(40.3)	47	--	0	--	0
4q1	(14.9)	152	(54.4)	47	--	0	--	0
No. mothers	[88]		[27]		[0]		[0]	
Rural								
NN	68.2	5140	93.9	4659	77.7	964	(102.4)	65
P-NN	74.6	4444	64.7	3879	87.6	814	(30.3)	54
1q0	142.8	4444	158.6	3879	165.3	814	(132.7)	54
2q0	186.8	4124	198.7	3646	240.7	755	(148.6)	49
5q0	233.7	3305	248.5	2718	289.9	587	(215.8)	30
1q1	51.3	4124	47.7	3646	90.3	755	(18.3)	49
3q2	57.7	3305	62.2	2718	64.8	587	(78.9)	30
4q1	106.1	3305	106.9	2718	149.2	587	(95.7)	30
No. mothers	[2272]		[2001]		[454]		[30]	
Total								
NN	66.9	5319	94.3	4725	77.7	964	(102.4)	65
P-NN	73.1	4613	64.4	3935	87.6	814	(30.3)	54
1q0	140.0	4613	158.8	3935	165.3	814	(132.7)	54
2q0	182.9	4289	198.5	3698	240.7	755	(148.6)	49
5q0	228.2	3458	248.1	2765	289.9	587	(215.8)	30
1q1	49.9	4289	47.3	3698	90.3	755	(18.3)	49
3q2	55.3	3458	61.8	2765	64.8	587	(78.9)	30
4q1	102.5	3458	106.2	2765	149.2	587	(95.7)	30
No. mothers	[2360]		[2027]		[454]		[30]	

NEPAL 1976

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	(57.0)	245						
P-NN	(35.2)	224						
1q0	(92.2)	224						
2q0	(105.7)	217						
5q0	(114.2)	199						
1q1	(14.9)	217						
3q2	(9.5)	199						
4q1	(24.2)	199						
No. mothers	[115]							

Rural

NN	80.3	10827						
P-NN	71.2	9192						
1q0	151.5	9192						
2q0	196.5	8573						
5q0	245.0	6641						
1q1	53.0	8573						
3q2	60.3	6641						
4q1	110.1	6641						
No. mothers	[4757]							

Total

NN	79.8	11072						
P-NN	70.4	9416						
1q0	150.2	9416						
2q0	194.5	8790						
5q0	241.9	6840						
1q1	52.1	8790						
3q2	58.9	6840						
4q1	107.9	6840						
No. mothers	[4872]							

PAKISTAN 1975

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Punjab		Sind		NWFP		Baluchistan	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban:								
NN	66.5	1724	52.2	981	(46.2)	147	(114.8)	41
P-NN	67.1	1526	48.3	901	(46.3)	136	(65.6)	35
1q0	133.6	1526	100.4	901	(92.5)	136	(180.3)	35
2q0	157.3	1461	123.9	859	(102.1)	130	(197.6)	32
5q0	184.6	1330	148.7	781	(120.0)	119	(217.2)	28
1q1	27.3	1461	26.1	859	(10.5)	130	(21.1)	32
3q2	32.5	1330	28.3	781	(20.0)	119	(24.4)	28
4q1	58.9	1330	53.7	781	(30.3)	119	(44.9)	28
No. mothers	[654]		[397]		[53]		[18]	
Rural								
NN	86.2	5414	73.2	1398	105.4	903	(68.8)	113
P-NN	57.6	4731	76.2	1202	36.6	780	(63.8)	98
1q0	143.8	4731	149.4	1202	142.0	780	(132.6)	98
2q0	176.2	4504	175.4	1116	166.9	742	(190.8)	89
5q0	217.1	4096	221.2	993	212.6	666	(216.7)	75
1q1	37.9	4504	30.6	1116	29.0	742	(67.1)	89
3q2	49.7	4096	55.5	993	54.8	666	(32.0)	75
4q1	85.7	4096	84.3	993	82.2	666	(97.0)	75
No. mothers	[2195]		[537]		[351]		[47]	
Total								
NN	81.4	7139	64.5	2379	97.1	1050	(81.1)	155
P-NN	59.9	6256	64.6	2103	38.0	916	(64.4)	134
1q0	141.3	6256	129.2	2103	135.1	916	(145.5)	134
2q0	171.6	5965	154.1	1975	157.8	872	(192.4)	121
5q0	209.3	5426	190.9	1774	199.5	785	(216.5)	103
1q1	35.3	5965	28.6	1975	26.3	872	(54.9)	121
3q2	45.5	5426	43.5	1774	49.5	785	(29.9)	103
4q1	79.2	5426	70.9	1774	74.5	785	(83.2)	103
No. mothers	[2849]		[934]		[404]		[64]	

PAKISTAN 1975

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	61.3	2894						
P-NN	59.7	2599						
1q0	120.9	2599						
2q0	143.8	2482						
5q0	169.7	2258						
1q1	26.0	2482						
3q2	30.3	2258						
4q1	55.4	2258						
No. mothers	[1122]							

Rural

NN	85.8	7828						
P-NN	58.6	6811						
1q0	144.4	6811						
2q0	175.2	6451						
5q0	217.3	5830						
1q1	36.0	6451						
3q2	51.0	5830						
4q1	85.2	5830						
No. mothers	[3130]							

Total

NN	79.2	10722						
P-NN	58.9	9409						
1q0	138.1	9409						
2q0	166.7	8934						
5q0	204.4	8088						
1q1	33.2	8934						
3q2	45.2	8088						
4q1	76.9	8088						
No. mothers	[4252]							

SRI LANKA 1975

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	ZONE 1		ZONE 2		ZONE 3		ZONE 4	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	26.8	704	26.6	655	(28.7)	128	(23.4)	237
P-NN	25.9	679	19.8	638	(33.8)	126	(36.2)	223
1q0	52.7	679	46.4	638	(62.4)	126	(59.6)	223
2q0	59.7	671	51.5	643	(73.3)	126	(78.4)	213
5q0	72.7	656	68.9	621	(79.1)	119	(86.7)	189
1q1	7.4	671	5.4	643	(11.6)	126	(20.0)	213
3q2	13.7	656	18.3	621	(6.2)	119	(9.0)	189
4q1	21.1	656	23.6	621	(17.7)	119	(28.8)	189
No. mothers	[386]		[351]		[59]		[98]	
Rural								
NN	(0.0)	13	38.4	2447	32.4	1799	40.0	651
P-NN	(0.0)	13	14.0	2339	17.9	1719	33.5	608
1q0	(0.0)	13	52.4	2339	50.3	1719	73.5	608
2q0	(0.0)	12	57.8	2312	60.7	1714	89.7	593
5q0	(0.0)	8	69.9	2267	75.4	1666	115.1	554
1q1	(0.0)	12	5.7	2312	11.0	1714	17.5	593
3q2	(0.0)	8	12.8	2267	15.6	1666	27.9	554
4q1	(0.0)	8	18.4	2267	26.4	1666	44.9	554
No. mothers	[12]		[1383]		[831]		[263]	
Total								
NN	26.3	717	35.9	3102	32.1	1927	35.6	887
P-NN	25.4	693	15.2	2977	19.0	1845	34.2	831
1q0	51.7	693	51.1	2977	51.1	1845	69.8	831
2q0	58.7	683	56.5	2955	61.5	1840	86.7	807
5q0	71.4	664	69.7	2888	75.6	1785	107.8	743
1q1	7.3	683	5.6	2955	11.0	1840	18.1	807
3q2	13.6	664	14.0	2888	15.0	1785	23.1	743
4q1	20.8	664	19.5	2888	25.8	1785	40.8	743
No. mothers	[397]		[1735]		[890]		[360]	

SRI LANKA 1975

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	ZONE 5		ZONE 6		ALL REGIONS			
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(49.3)	185	(46.1)	230	30.5	2138		
P-NN	(23.2)	173	(2.8)	219	22.9	2057		
1q0	(72.5)	173	(48.9)	219	53.4	2057		
2q0	(75.6)	179	(54.3)	222	60.8	2054		
5q0	(83.7)	174	(77.5)	232	75.0	1991		
1q1	(3.4)	179	(5.7)	222	7.8	2054		
3q2	(8.7)	174	(24.5)	232	15.1	1991		
4q1	(12.1)	174	(30.1)	232	22.8	1991		
No. mothers	[101]		[147]		[1142]			
Rural								
NN	32.2	672	42.1	4378	38.6	9959		
P-NN	20.7	623	26.9	4129	22.1	9433		
1q0	53.0	623	68.9	4129	60.7	9433		
2q0	59.1	611	79.1	4098	69.8	9339		
5q0	79.2	572	97.7	4088	86.6	9155		
1q1	6.5	611	10.9	4098	9.8	9339		
3q2	21.3	572	20.2	4088	18.1	9155		
4q1	27.7	572	30.9	4088	27.6	9155		
No. mothers	[318]		[2287]		[5093]			
Total								
NN	35.9	857	42.3	4608	37.1	12098		
P-NN	21.3	796	25.7	4348	22.2	11490		
1q0	57.2	796	67.9	4348	59.4	11490		
2q0	62.6	790	77.9	4319	68.2	11393		
5q0	79.9	746	96.8	4320	84.5	11146		
1q1	5.8	790	10.7	4319	9.4	11393		
3q2	18.4	746	20.5	4320	17.5	11146		
4q1	24.1	746	30.9	4320	26.8	11146		
No. mothers	[419]		[2434]		[6235]			

JORDAN 1976

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	AMMAN 1 AND 2		ZARKA-IRBID		TOWNS		LARGE VILLAGES	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	31.8	3327	18.3	2170	33.9	1523	--	0
P-NN	34.9	3110	32.3	2062	33.4	1407	--	0
1q0	66.7	3110	50.5	2062	67.4	1407	--	0
2q0	73.8	3034	64.4	2011	78.1	1396	--	0
5q0	76.6	2800	72.5	1786	81.5	1216	--	0
1q1	7.7	3034	14.5	2011	11.5	1396	--	0
3q2	3.0	2800	8.7	1786	3.7	1216	--	0
4q1	10.7	2800	23.1	1786	15.2	1216	--	0
No. mothers	[1193]		[678]		[466]		[0]	
Rural								
NN	--	0	--	0	--	0	34.2	750
P-NN	--	0	--	0	--	0	55.0	688
1q0	--	0	--	0	--	0	89.2	688
2q0	--	0	--	0	--	0	99.2	663
5q0	--	0	--	0	--	0	106.3	578
1q1	--	0	--	0	--	0	11.0	663
3q2	--	0	--	0	--	0	7.9	578
4q1	--	0	--	0	--	0	18.8	578
No. mothers	[0]		[0]		[0]		[211]	
Total								
NN	31.8	3327	18.3	2170	33.9	1523	34.2	750
P-NN	34.9	3110	32.3	2062	33.4	1407	55.0	688
1q0	66.7	3110	50.5	2062	67.4	1407	89.2	688
2q0	73.8	3034	64.4	2011	78.1	1396	99.2	663
5q0	76.6	2800	72.5	1786	81.5	1216	106.3	578
1q1	7.7	3034	14.5	2011	11.5	1396	11.0	663
3q2	3.0	2800	8.7	1786	3.7	1216	7.9	578
4q1	10.7	2800	23.1	1786	15.2	1216	18.8	578
No. mothers	[1193]		[678]		[466]		[211]	

Type of rate	MEDIUM VILLAGES		SMALL VILLAGES		ALL REGIONS	
	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban						
NN	--	0	--	0	28.1	7020
P-NN	--	0	--	0	33.8	6580
1q0	--	0	--	0	61.8	6580
2q0	--	0	--	0	71.8	6441
5q0	--	0	--	0	76.4	5802
1q1	--	0	--	0	10.6	6441
3q2	--	0	--	0	5.0	5802
4q1	--	0	--	0	15.5	5802
No. mothers	[0]	[0]	[2337]
Rural						
NN	35.4	1859	33.0	767	34.6	3375
P-NN	39.8	1654	45.0	689	44.4	3031
1q0	75.2	1654	78.0	689	79.0	3031
2q0	90.6	1555	100.4	662	94.7	2880
5q0	103.4	1229	110.6	527	105.6	2334
1q1	16.6	1555	24.3	662	17.1	2880
3q2	14.1	1229	11.4	527	12.0	2334
4q1	30.5	1229	35.4	527	28.9	2334
No. mothers	[558]	[227]	[996]
Total						
NN	35.4	1859	33.0	767	30.2	10395
P-NN	39.8	1654	45.0	689	37.2	9610
1q0	75.2	1654	78.0	689	67.3	9610
2q0	90.6	1555	100.4	662	79.1	9321
5q0	103.4	1229	110.6	527	85.6	8136
1q1	16.6	1555	24.3	662	12.6	9321
3q2	14.1	1229	11.4	527	7.0	8136
4q1	30.5	1229	35.4	527	19.6	8136
No. mothers	[558]	[227]	[3333]

SYRIA 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	DAMASCUS CITY		ALEPPO CITY		NORTH EAST		WEST	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	8.5	1528	9.5	1163	10.1	790	(5.2)	385
P-NN	37.4	1467	57.5	1084	46.2	727	(41.1)	385
1q0	45.9	1467	67.0	1084	56.4	727	(46.3)	385
2q0	50.6	1441	80.1	1030	65.7	710	(56.2)	383
5q0	57.3	1383	90.4	893	76.2	610	(56.2)	371
1q1	4.9	1441	14.1	1030	9.9	710	(10.4)	383
3q2	7.1	1383	11.2	893	11.2	610	(0.0)	371
4q1	11.9	1383	25.1	893	21.0	610	(10.4)	371
No. mothers	[669]		[418]		[252]		[156]	
Rural								
NN	--	0	--	0	24.4	2173	8.5	943
P-NN	--	0	--	0	40.2	1968	81.3	848
1q0	--	0	--	0	64.6	1968	89.8	848
2q0	--	0	--	0	81.9	1866	97.2	796
5q0	--	0	--	0	97.3	1467	112.5	671
1q1	--	0	--	0	18.5	1866	8.2	796
3q2	--	0	--	0	16.8	1467	16.9	671
4q1	--	0	--	0	35.0	1467	25.0	671
No. mothers	[0]		[0]		[725]		[295]	
Total								
NN	8.5	1528	9.5	1163	20.6	2962	7.5	1328
P-NN	37.4	1467	57.5	1084	41.8	2695	69.2	1233
1q0	45.9	1467	67.0	1084	62.4	2695	76.7	1233
2q0	50.6	1441	80.1	1030	77.5	2576	84.9	1179
5q0	57.3	1383	90.4	893	91.5	2077	95.2	1042
1q1	4.9	1441	14.1	1030	16.1	2576	8.9	1179
3q2	7.1	1383	11.2	893	15.2	2077	11.2	1042
4q1	11.9	1383	25.1	893	31.1	2077	20.0	1042
No. mothers	[669]		[418]		[977]		[451]	

SYRIA 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	CENTRE		SOUTH		ALL REGIONS			
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	16.9	945	11.4	616	10.5	5425		
P-NN	47.8	884	39.9	563	45.3	5109		
1q0	64.8	884	51.3	563	55.8	5109		
2q0	76.3	854	54.8	537	64.4	4954		
5q0	83.2	769	(67.1)	490	72.5	4515		
1q1	12.3	854	3.7	537	9.1	4954		
3q2	7.5	769	(13.0)	490	8.6	4515		
4q1	19.7	769	(16.7)	490	17.7	4515		
No. mothers	[350]		[193]		[2038]			
Rural								
NN	16.7	1675	32.2	1427	21.7	6217		
P-NN	58.6	1510	53.2	1260	54.4	5586		
1q0	75.3	1510	85.4	1260	76.1	5586		
2q0	87.6	1436	96.3	1182	89.0	5280		
5q0	98.6	1195	109.4	954	102.7	4287		
1q1	13.2	1436	11.8	1182	14.0	5280		
3q2	12.1	1195	14.5	954	15.0	4287		
4q1	25.2	1195	26.2	954	28.8	4287		
No. mothers	[532]		[460]		[2012]			
Total								
NN	16.8	2620	26.0	2042	16.5	11642		
P-NN	54.7	2394	49.2	1823	50.1	10695		
1q0	71.5	2394	75.1	1823	66.6	10695		
2q0	83.4	2290	83.8	1719	77.5	10234		
5q0	93.0	1964	96.7	1443	88.4	8801		
1q1	12.9	2290	9.3	1719	11.6	10234		
3q2	10.4	1964	14.1	1443	11.9	8801		
4q1	23.1	1964	23.3	1443	23.4	8801		
No. mothers	[882]		[653]		[4050]			

TURKEY 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	West		South		Central		North	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	54.6	1100	(69.0)	464	58.1	844	(38.4)	235
P-NN	51.1	986	(36.0)	413	57.9	748	(70.1)	209
1q0	105.7	986	(105.0)	413	116.0	748	(108.5)	209
2q0	118.6	939	(123.3)	392	129.2	706	(113.0)	196
5q0	127.9	856	(130.2)	376	146.7	648	(113.0)	181
1q1	14.4	939	(20.4)	392	14.9	706	(5.1)	196
3q2	10.6	856	(7.9)	376	20.1	648	(0.0)	181
4q1	24.9	856	(28.2)	376	34.7	648	(5.1)	181
No. mothers	[764]		[256]		[559]		[122]	
Rural								
NN	64.9	693	(53.8)	484	74.4	1163	56.9	827
P-NN	62.7	632	(54.6)	439	112.5	998	85.2	720
1q0	127.7	632	(108.4)	439	186.9	998	142.1	720
2q0	143.2	618	(126.0)	431	216.8	953	175.9	697
5q0	158.8	640	(136.5)	411	234.8	899	197.4	607
1q1	17.8	618	(19.7)	431	36.7	953	39.5	697
3q2	18.3	640	(12.0)	411	23.0	899	26.1	607
4q1	35.8	640	(31.5)	411	58.9	899	64.5	607
No. mothers	[447]		[212]		[531]		[325]	
Total								
NN	58.6	1793	61.2	948	67.5	2007	52.8	1061
P-NN	55.6	1618	45.5	851	89.7	1746	81.8	929
1q0	114.2	1618	106.7	851	157.2	1746	134.5	929
2q0	128.1	1557	124.6	823	180.4	1659	162.2	893
5q0	140.2	1496	133.4	786	198.2	1547	179.1	787
1q1	15.7	1557	20.1	823	27.4	1659	31.9	893
3q2	13.9	1496	10.1	786	21.7	1547	20.2	787
4q1	29.4	1496	29.9	786	48.6	1547	51.5	787
No. mothers	[1211]		[468]		[1090]		[447]	

TURKEY 1978

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	East & S.East		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	60.9	740	57.7	3381				
P-NN	90.3	640	60.6	2995				
1q0	151.1	640	118.3	2995				
2q0	172.7	611	133.3	2844				
5q0	188.9	550	145.3	2609				
1q1	25.4	611	17.1	2844				
3q2	19.6	550	13.8	2609				
4q1	44.5	550	30.6	2609				
No. mothers	[282]		[1983]					
Rural								
NN	56.4	1427	62.1	4593				
P-NN	95.9	1260	88.7	4049				
1q0	152.3	1260	150.8	4049				
2q0	191.8	1214	180.9	3911				
5q0	213.5	1087	199.5	3643				
1q1	46.6	1214	35.4	3911				
3q2	26.8	1087	22.7	3643				
4q1	72.1	1087	57.3	3643				
No. mothers	[503]		[2018]					
Total								
NN	57.9	2167	60.2	7974				
P-NN	94.0	1900	76.9	7044				
1q0	151.9	1900	137.1	7044				
2q0	185.4	1825	160.9	6755				
5q0	205.2	1636	176.9	6251				
1q1	39.5	1825	27.7	6755				
3q2	24.4	1636	19.0	6251				
4q1	62.9	1636	46.1	6251				
No. mothers	[785]		[4001]					

YEMEN A. R. 1979

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	NORTH		SOUTH		WEST		EAST	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(51.0)	326	(39.3)	229	(50.3)	182	(66.7)	30
P-NN	(128.6)	278	(67.5)	199	(0.0)	171	(67.9)	23
1q0	(179.6)	278	(106.8)	199	(50.3)	171	(134.6)	23
2q0	(231.5)	253	(118.2)	190	(76.0)	169	(134.6)	21
5q0	(257.2)	186	(149.3)	149	(113.4)	149	(181.4)	11
1q1	(63.2)	253	(12.8)	190	(27.0)	169	(0.0)	21
3q2	(33.4)	186	(35.3)	149	(40.5)	149	(54.1)	11
4q1	(94.5)	186	(47.6)	149	(66.5)	149	(54.1)	11
No. mothers	[100]		[68]		[76]		[11]	
Rural								
NN	76.8	1740	43.5	2025	66.2	1213	(62.1)	267
P-NN	131.3	1382	91.3	1704	119.3	977	(53.8)	227
1q0	208.1	1382	134.8	1704	185.6	977	(116.0)	227
2q0	260.1	1248	172.8	1569	229.4	886	(149.5)	209
5q0	310.3	822	215.8	1171	287.7	602	(190.1)	135
1q1	65.6	1248	44.0	1569	53.9	886	(37.9)	209
3q2	67.9	822	52.0	1171	75.7	602	(47.7)	135
4q1	129.1	822	93.7	1171	125.5	602	(83.8)	135
No. mothers	[639]		[728]		[453]		[97]	
Total								
NN	72.7	2065	43.1	2254	64.2	1395	(62.6)	297
P-NN	130.9	1660	88.9	1903	103.5	1147	(55.4)	249
1q0	203.7	1660	131.9	1903	167.7	1147	(118.0)	249
2q0	255.6	1501	167.2	1759	209.0	1056	(148.5)	230
5q0	301.7	1008	208.9	1320	263.4	751	(189.8)	146
1q1	65.2	1501	40.6	1759	49.6	1056	(34.5)	230
3q2	61.9	1008	50.1	1320	68.8	751	(48.6)	146
4q1	123.1	1008	88.7	1320	115.0	751	(81.4)	146
No. mothers	[739]		[796]		[528]		[108]	

YEMEN A. R. 1979

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	48.0	766						
P-NN	77.4	670						
1q0	125.4	670						
2q0	157.2	633						
5q0	(188.0)	495						
1q1	36.3	633						
3q2	(36.6)	495						
4q1	(71.6)	495						
No. mothers	[255]					

Rural

NN	60.8	5244						
P-NN	109.2	4289						
1q0	170.0	4289						
2q0	213.8	3912						
5q0	262.6	2730						
1q1	52.8	3912						
3q2	62.0	2730						
4q1	111.5	2730						
No. mothers	[1916]					

Total

NN	59.1	6011						
P-NN	105.1	4959						
1q0	164.3	4959						
2q0	206.5	4545						
5q0	252.7	3225						
1q1	50.5	4545						
3q2	58.2	3225						
4q1	105.8	3225						
No. mothers	[2171]					

Type of rate	Metropolitan area		Central Valley urban		Central Valley rural		Other urban	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	17.4	1437	39.8	578	--	0	(34.4)	436
P-NN	20.0	1415	21.5	553	--	0	(49.1)	409
1q0	37.4	1415	61.3	553	--	0	(83.5)	409
2q0	41.5	1414	64.6	562	--	0	(91.4)	408
5q0	43.2	1406	66.3	566	--	0	(100.8)	434
1q1	4.2	1414	3.6	562	--	0	(8.6)	408
3q2	1.8	1406	1.8	566	--	0	(10.4)	434
4q1	6.0	1406	5.3	566	--	0	(18.9)	434
No. mothers	[970]		[353]		[0]		[266]	
Rural								
NN	--	0	--	0	22.5	1198	--	0
P-NN	--	0	--	0	35.1	1188	--	0
1q0	--	0	--	0	57.6	1188	--	0
2q0	--	0	--	0	65.1	1198	--	0
5q0	--	0	--	0	72.0	1228	--	0
1q1	--	0	--	0	7.9	1198	--	0
3q2	--	0	--	0	7.3	1228	--	0
4q1	--	0	--	0	15.2	1228	--	0
No. mothers	[0]		[0]		[596]		[0]	
Total								
NN	17.4	1437	39.8	578	22.5	1198	(34.4)	436
P-NN	20.0	1415	21.5	553	35.1	1188	(49.1)	409
1q0	37.4	1415	61.3	553	57.6	1188	(83.5)	409
2q0	41.5	1414	64.6	562	65.1	1198	(91.4)	408
5q0	43.2	1406	66.3	566	72.0	1228	(100.8)	434
1q1	4.2	1414	3.6	562	7.9	1198	(8.6)	408
3q2	1.8	1406	1.8	566	7.3	1228	(10.4)	434
4q1	6.0	1406	5.3	566	15.2	1228	(18.9)	434
No. mothers	[970]		[353]		[596]		[266]	

COSTA RICA 1976

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Other rural		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	0	25.7	2450				
P-NN	--	0	25.5	2377				
1q0	--	0	51.2	2377				
2q0	--	0	55.8	2384				
5q0	--	0	58.9	2405				
1q1	--	0	4.8	2384				
3q2	--	0	3.3	2405				
4q1	--	0	8.1	2405				
No. mothers	[0]	[1589]				
Rural								
NN	41.2	2232	34.7	3430				
P-NN	39.7	2162	38.0	3350				
1q0	80.9	2162	72.7	3350				
2q0	91.1	2164	82.0	3362				
5q0	99.6	2143	89.9	3370				
1q1	11.1	2164	10.0	3362				
3q2	9.3	2143	8.6	3370				
4q1	20.3	2143	18.5	3370				
No. mothers	[882]	[1478]				
Total								
NN	41.2	2232	31.0	5880				
P-NN	39.7	2162	32.9	5727				
1q0	80.9	2162	63.8	5727				
2q0	91.1	2164	71.1	5746				
5q0	99.6	2143	77.1	5775				
1q1	11.1	2164	7.8	5746				
3q2	9.3	2143	6.4	5775				
4q1	20.3	2143	14.2	5775				
No. mothers	[882]	[3067]				

Type of rate	South central		North west		North central		South west	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	73.4	1185	(106.8)	323	(126.6)	237	(122.0)	127
2q0	89.5	1096	(126.1)	278	(177.4)	215	(154.0)	110
5q0	108.5	958	(129.5)	251	(189.4)	206	(186.2)	103
1q1	17.3	1096	(21.6)	278	(58.1)	215	(36.4)	110
3q2	20.8	958	(3.9)	251	(14.6)	206	(38.1)	103
4q1	37.8	958	(25.4)	251	(71.9)	206	(73.1)	103
No. mothers	[585]		[159]		[102]		[66]	
Rural								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	98.0	562	72.0	778	102.5	620	116.0	569
2q0	130.1	505	87.1	705	122.9	549	(146.9)	486
5q0	(152.4)	445	98.5	602	(136.6)	484	(170.4)	401
1q1	35.7	505	16.3	705	22.8	549	(35.0)	486
3q2	(25.6)	445	12.5	602	(15.6)	484	(27.6)	401
4q1	(60.4)	445	28.6	602	(38.0)	484	(61.6)	401
No. mothers	[230]		[275]		[227]		[204]	
Total								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	81.3	1746	82.2	1101	109.2	857	117.1	696
2q0	102.6	1601	98.6	982	138.3	764	148.2	596
5q0	122.6	1403	107.6	853	151.6	690	173.5	504
1q1	23.1	1601	17.8	982	32.7	764	35.2	596
3q2	22.3	1403	10.0	853	15.4	690	29.7	504
4q1	44.9	1403	27.7	853	47.6	690	63.9	504
No. mothers	[815]		[434]		[329]		[270]	

* Age at death given only in completed years.

Type of rate	East		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	*	--	*				
P-NN	--	*	--	*				
1q0	(103.7)	203	90.6	2074				
2q0	(113.4)	186	111.6	1884				
5q0	(128.2)	171	127.9	1688				
1q1	(10.8)	186	23.1	1884				
3q2	(16.7)	171	18.3	1688				
4q1	(27.3)	171	41.0	1688				
No. mothers	[93]		[1005]					
Rural								
NN	--	*	--	*				
P-NN	--	*	--	*				
1q0	(90.4)	183	94.8	2711				
2q0	(112.9)	162	118.5	2406				
5q0	(124.5)	146	135.2	2078				
1q1	(24.7)	162	26.2	2406				
3q2	(13.1)	146	19.0	2078				
4q1	(37.4)	146	44.6	2078				
No. mothers	[70]		[1006]					
Total								
NN	--	*	--	*				
P-NN	--	*	--	*				
1q0	(97.4)	385	93.0	4785				
2q0	(113.0)	348	115.5	4290				
5q0	(126.3)	317	132.0	3766				
1q1	(17.3)	348	24.8	4290				
3q2	(15.0)	317	18.7	3766				
4q1	(32.0)	317	43.0	3766				
No. mothers	[163]		[2011]					

* Age at death given only in completed years.

MEXICO 1976-7

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	NORTH-WEST		NORTH-EAST		NORTH		WESTERN	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	40.5	692	48.9	593	47.2	1016	40.4	1336
P-NN	23.3	648	16.8	556	37.0	960	30.6	1258
1q0	63.8	648	65.7	556	84.3	960	71.0	1258
2q0	74.2	629	67.4	546	97.1	927	81.3	1215
5q0	84.9	605	70.1	524	110.8	860	94.9	1116
1q1	11.1	629	1.8	546	14.0	927	11.1	1215
3q2	11.6	605	2.9	524	15.1	860	14.8	1116
4q1	22.6	605	4.7	524	28.9	860	25.7	1116
No. mothers	[295]		[265]		[409]		[486]	
Rural								
NN	47.4	548	(23.6)	381	51.1	783	42.5	1225
P-NN	(50.5)	487	(42.6)	356	39.2	702	29.8	1136
1q0	(98.0)	487	(66.2)	356	90.3	702	72.3	1136
2q0	(117.2)	470	(79.8)	345	110.9	663	83.9	1078
5q0	(122.1)	447	(87.1)	316	131.8	596	102.9	966
1q1	(21.3)	470	(14.5)	345	22.6	663	12.5	1078
3q2	(5.6)	447	(7.9)	316	23.5	596	20.7	966
4q1	(26.8)	447	(22.3)	316	45.6	596	33.0	966
No. mothers	[207]		[139]		[276]		[388]	
Total								
NN	43.6	1240	39.0	974	48.9	1799	41.4	2561
P-NN	35.2	1135	26.8	912	38.0	1662	30.2	2393
1q0	78.7	1135	65.8	912	86.9	1662	71.6	2393
2q0	93.0	1099	72.1	891	103.0	1590	82.5	2293
5q0	101.2	1051	76.5	840	119.6	1455	98.6	2082
1q1	15.5	1099	6.7	891	17.6	1590	11.8	2293
3q2	9.0	1051	4.8	840	18.6	1455	17.5	2082
4q1	24.4	1051	11.5	840	35.8	1455	29.1	2082
No. mothers	[502]		[404]		[685]		[874]	

MEXICO 1976-7

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	CENTRAL		GULF		SOUTH-EAST		SOUTH PACIFIC	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	42.5	3294	(61.3)	294	(15.4)	261	(34.5)	493
P-NN	23.6	3071	(10.3)	273	(38.4)	252	(38.4)	470
1q0	66.1	3071	(71.6)	273	(53.7)	252	(72.9)	470
2q0	74.9	2968	(78.7)	263	(61.6)	242	(87.1)	456
5q0	82.6	2720	(120.8)	230	(82.9)	220	(106.2)	431
1q1	9.4	2968	(7.6)	263	(8.3)	242	(15.4)	456
3q2	8.3	2720	(45.8)	230	(22.8)	220	(20.9)	431
4q1	17.6	2720	(53.0)	230	(30.9)	220	(35.9)	431
No. mothers	[1520]		[143]		[108]		[210]	
Rural								
NN	51.5	2397	64.4	552	(31.7)	63	46.8	1068
P-NN	29.0	2215	30.3	518	(31.9)	59	30.1	999
1q0	80.6	2215	94.7	518	(63.6)	59	76.9	999
2q0	105.7	2137	116.2	505	(63.6)	55	103.5	956
5q0	125.9	1910	(145.4)	470	(63.6)	50	114.8	872
1q1	27.4	2137	23.8	505	(0.0)	55	28.8	956
3q2	22.5	1910	(33.0)	470	(0.0)	50	12.6	872
4q1	49.3	1910	(56.0)	470	(0.0)	50	41.0	872
No. mothers	[824]		[229]		[20]		[376]	
Total								
NN	46.3	5691	63.3	845	(18.5)	324	42.9	1561
P-NN	25.9	5286	23.5	790	(37.2)	310	32.7	1469
1q0	72.2	5286	86.8	790	(55.7)	310	75.6	1469
2q0	87.9	5104	103.5	767	(62.1)	297	98.2	1412
5q0	100.8	4630	136.8	699	(79.5)	269	112.1	1302
1q1	16.9	5104	18.3	767	(6.7)	297	24.4	1412
3q2	14.1	4630	37.2	699	(18.6)	269	15.4	1302
4q1	30.9	4630	54.8	699	(25.2)	269	39.4	1302
No. mothers	[2344]		[372]		[128]		[586]	

MEXICO 1976-7

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	42.4	7977						
P-NN	26.9	7486						
1q0	69.3	7486						
2q0	78.7	7244						
5q0	90.4	6703						
1q1	10.1	7244						
3q2	12.7	6703						
4q1	22.7	6703						
No. mothers		[3436]						
Rural								
NN	48.2	7016						
P-NN	33.0	6470						
1q0	81.1	6470						
2q0	102.1	6207						
5q0	119.4	5624						
1q1	22.8	6207						
3q2	19.3	5624						
4q1	41.7	5624						
No. mothers		[2459]						
Total								
NN	45.1	14993						
P-NN	29.7	13956						
1q0	74.8	13956						
2q0	89.6	13451						
5q0	103.9	12327						
1q1	16.0	13451						
3q2	15.7	12327						
4q1	31.4	12327						
No. mothers		[5895]						

Type of rate	METROPOLITAN URBAN		METRO RURAL		REST URBAN		REST RURAL	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	26.0	2325	--	0	23.8	673	--	0
P-NN	9.9	2255	--	0	16.1	662	--	0
1q0	35.9	2255	--	0	39.9	662	--	0
2q0	40.2	2258	--	0	45.0	659	--	0
5q0	44.2	2174	--	0	53.5	673	--	0
1q1	4.4	2258	--	0	5.3	659	--	0
3q2	4.1	2174	--	0	8.9	673	--	0
4q1	8.6	2174	--	0	14.2	673	--	0
No. mothers	[1372]		[0]		[379]		[0]	
Rural								
NN	--	0	17.5	687	--	0	30.4	2601
P-NN	--	0	13.1	669	--	0	20.5	2515
1q0	--	0	30.6	669	--	0	50.9	2515
2q0	--	0	42.4	658	--	0	57.7	2506
5q0	--	0	44.7	616	--	0	69.8	2441
1q1	--	0	12.2	658	--	0	7.2	2506
3q2	--	0	2.4	616	--	0	12.9	2441
4q1	--	0	14.6	616	--	0	20.0	2441
No. mothers	[0]		[277]		[0]		[1030]	
Total								
NN	26.0	2325	17.5	687	23.8	673	30.4	2601
P-NN	9.9	2255	13.1	669	16.1	662	20.5	2515
1q0	35.9	2255	30.6	669	39.9	662	50.9	2515
2q0	40.2	2258	42.4	658	45.0	659	57.7	2506
5q0	44.2	2174	44.7	616	53.5	673	69.8	2441
1q1	4.4	2258	12.2	658	5.3	659	7.2	2506
3q2	4.1	2174	2.4	616	8.9	673	12.9	2441
4q1	8.6	2174	14.6	616	14.2	673	20.0	2441
No. mothers	[1372]		[277]		[379]		[1030]	

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
--------------	------	----------	------	----------	------	----------	------	----------

Urban

NN	25.5	2998						
P-NN	11.3	2917						
1q0	36.8	2917						
2q0	41.3	2916						
5q0	46.4	2847						
1q1	4.6	2916						
3q2	5.3	2847						
4q1	9.9	2847						
No. mothers	[1751]							

Rural

NN	27.7	3287						
P-NN	19.0	3184						
1q0	46.6	3184						
2q0	54.5	3164						
5q0	64.7	3057						
1q1	8.2	3164						
3q2	10.8	3057						
4q1	18.9	3057						
No. mothers	[1307]							

Total

NN	26.7	6285						
P-NN	15.3	6101						
1q0	42.0	6101						
2q0	48.2	6080						
5q0	55.9	5904						
1q1	6.5	6080						
3q2	8.1	5904						
4q1	14.6	5904						
No. mothers	[3058]							

COLOMBIA 1976

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Atlantic		Oriental		Central		Pacific	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	19.9	753	29.4	782	34.6	1040	40.5	716
P-NN	26.8	724	31.9	729	16.6	1016	41.7	676
1q0	46.8	724	61.3	729	51.3	1016	82.2	676
2q0	57.6	701	74.3	721	65.2	1022	106.5	661
5q0	74.6	667	93.0	695	72.8	1039	126.1	640
1q1	11.4	701	13.9	721	14.7	1022	26.5	661
3q2	18.0	667	20.1	695	8.2	1039	21.9	640
4q1	29.2	667	33.7	695	22.7	1039	47.8	640
No. mothers	[364]		[367]		[519]		[383]	
Rural								
NN	34.1	866	40.6	727	36.9	962	52.3	612
P-NN	37.3	807	38.5	682	47.1	893	50.2	546
1q0	71.3	807	79.1	682	84.0	893	102.5	546
2q0	89.7	761	91.5	666	105.1	868	128.8	529
5q0	113.3	675	116.0	631	141.5	800	(158.0)	491
1q1	19.7	761	13.5	666	23.0	868	29.3	529
3q2	25.9	675	26.9	631	40.6	800	(33.6)	491
4q1	45.2	675	40.1	631	62.7	800	(61.9)	491
No. mothers	[316]		[270]		[356]		[246]	
Total								
NN	27.5	1619	34.8	1508	35.7	2001	45.9	1328
P-NN	32.4	1531	35.1	1410	31.2	1908	45.5	1221
1q0	59.9	1531	69.9	1410	66.9	1908	91.5	1221
2q0	74.7	1462	82.6	1386	84.2	1890	116.7	1190
5q0	95.1	1341	104.1	1326	104.6	1839	140.5	1131
1q1	15.7	1462	13.7	1386	18.5	1890	27.7	1190
3q2	22.0	1341	23.4	1326	22.3	1839	27.0	1131
4q1	37.4	1341	36.8	1326	40.4	1839	54.0	1131
No. mothers	[680]		[637]		[875]		[629]	

COLOMBIA 1976

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Bogota		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	15.3	588	28.9	3877				
P-NN	16.3	570	26.2	3713				
1q0	31.6	570	55.1	3713				
2q0	44.4	565	70.1	3669				
5q0	55.4	568	84.2	3608				
1q1	13.3	565	15.8	3669				
3q2	11.5	568	15.2	3608				
4q1	24.6	568	30.8	3608				
No. mothers	[402]		[2035]					
Rural								
NN	--	0	40.0	3166				
P-NN	--	0	43.0	2927				
1q0	--	0	83.0	2927				
2q0	--	0	102.3	2823				
5q0	--	0	131.1	2597				
1q1	--	0	21.1	2823				
3q2	--	0	32.2	2597				
4q1	--	0	52.6	2597				
No. mothers	[0]		[1188]					
Total								
NN	15.3	588	33.9	7043				
P-NN	16.3	570	33.7	6640				
1q0	31.6	570	67.6	6640				
2q0	44.4	565	84.5	6492				
5q0	55.4	568	104.9	6204				
1q1	13.3	565	18.1	6492				
3q2	11.5	568	22.3	6204				
4q1	24.6	568	40.0	6204				
No. mothers	[402]		[3223]					

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	COAST - GUAYAQUIL		COAST - OTHER URBAN		COAST - RURAL		SIERRA - QUITO	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	31.7	1009	50.5	1326	--	0	31.8	723
P-NN	23.8	947	52.7	1236	--	0	29.9	683
1q0	55.5	947	103.3	1236	--	0	61.8	683
2q0	67.8	888	124.2	1159	--	0	73.3	650
5q0	72.8	841	142.1	1074	--	0	84.1	601
1q1	13.0	888	23.3	1159	--	0	12.3	650
3q2	5.4	841	20.5	1074	--	0	11.6	601
4q1	18.2	841	43.3	1074	--	0	23.8	601
No. mothers	[595]		[572]		[0]		[440]	
Rural								
NN	--	0	--	0	45.1	2741	--	0
P-NN	--	0	--	0	35.3	2559	--	0
1q0	--	0	--	0	80.4	2559	--	0
2q0	--	0	--	0	100.7	2428	--	0
5q0	--	0	--	0	114.1	2242	--	0
1q1	--	0	--	0	22.0	2428	--	0
3q2	--	0	--	0	14.9	2242	--	0
4q1	--	0	--	0	36.7	2242	--	0
No. mothers	[0]		[0]		[987]		[0]	
Total								
NN	31.7	1009	50.5	1326	45.1	2741	31.8	723
P-NN	23.8	947	52.7	1236	35.3	2559	29.9	683
1q0	55.5	947	103.3	1236	80.4	2559	61.8	683
2q0	67.8	888	124.2	1159	100.7	2428	73.3	650
5q0	72.8	841	142.1	1074	114.1	2242	84.1	601
1q1	13.0	888	23.3	1159	22.0	2428	12.3	650
3q2	5.4	841	20.5	1074	14.9	2242	11.6	601
4q1	18.2	841	43.3	1074	36.7	2242	23.8	601
No. mothers	[595]		[572]		[987]		[440]	

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	SIERRA - OTHER URBAN		SIERRA - RURAL		ALL REGIONS	
	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban						
NN	25.4	866	--	0	36.7	3923
P-NN	47.9	815	--	0	40.1	3680
1q0	73.3	815	--	0	76.8	3680
2q0	99.6	775	--	0	95.0	3472
5q0	118.3	723	--	0	108.6	3239
1q1	28.4	775	--	0	19.7	3472
3q2	20.8	723	--	0	15.0	3239
4q1	48.6	723	--	0	34.4	3239
No. mothers	[431]		[0]		[2038]	
Rural						
NN	--	0	36.2	3135	40.3	5876
P-NN	--	0	48.3	2924	42.2	5483
1q0	--	0	84.5	2924	82.6	5483
2q0	--	0	127.4	2729	114.9	5156
5q0	--	0	158.9	2426	137.8	4668
1q1	--	0	46.9	2729	35.2	5156
3q2	--	0	36.1	2426	25.9	4668
4q1	--	0	81.3	2426	60.2	4668
No. mothers	[0]		[1273]		[2260]	
Total						
NN	25.4	866	36.2	3135	38.9	9799
P-NN	47.9	815	48.3	2924	41.4	9162
1q0	73.3	815	84.5	2924	80.3	9162
2q0	99.6	775	127.4	2729	106.9	8628
5q0	118.3	723	158.9	2426	126.1	7907
1q1	28.4	775	46.9	2729	29.0	8628
3q2	20.8	723	36.1	2426	21.4	7907
4q1	48.6	723	81.3	2426	49.8	7907
No. mothers	[431]		[1273]		[4298]	

Type of rate	Metropolitan Lima		North		Central		South	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	20.7	2747	45.0	2116	40.6	1454	40.3	1036
P-NN	34.1	2621	44.4	1941	65.7	1299	55.9	944
1q0	54.8	2621	89.4	1941	106.3	1299	96.2	944
2q0	63.7	2530	111.4	1868	141.3	1237	123.5	903
5q0	69.8	2336	135.3	1761	157.4	1098	158.8	803
1q1	9.5	2530	24.1	1868	39.2	1237	30.2	903
3q2	6.4	2336	26.9	1761	18.8	1098	40.2	803
4q1	15.8	2336	50.4	1761	57.2	1098	69.2	803
No. mothers	[1401]		[920]		[575]		[448]	
Rural								
NN	(52.6)	21	61.7	2301	69.6	1456	65.8	1278
P-NN	(0.0)	17	59.2	2071	73.7	1262	86.4	1112
1q0	(52.6)	17	120.9	2071	143.3	1262	152.2	1112
2q0	(52.6)	17	166.3	1973	188.7	1187	190.8	1050
5q0	(52.6)	14	207.0	1768	226.9	1041	229.1	952
1q1	(0.0)	17	51.6	1973	53.0	1187	45.6	1050
3q2	(0.0)	14	48.8	1768	47.1	1041	47.4	952
4q1	(0.0)	14	98.0	1768	97.6	1041	90.8	952
No. mothers	[10]		[809]		[500]		[503]	
Total								
NN	20.9	2768	53.7	4417	55.1	2910	54.4	2315
P-NN	33.9	2639	52.1	4012	69.7	2561	72.8	2056
1q0	54.8	2639	105.8	4012	124.8	2561	127.1	2056
2q0	63.7	2546	140.0	3841	165.0	2424	160.7	1953
5q0	69.7	2350	172.6	3528	192.2	2140	197.7	1755
1q1	9.4	2546	38.3	3841	45.9	2424	38.5	1953
3q2	6.4	2350	37.9	3528	32.5	2140	44.1	1755
4q1	15.7	2350	74.7	3528	77.0	2140	80.9	1755
No. mothers	[1411]		[1729]		[1075]		[951]	

PERU 1977-8

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	East		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(33.0)	279	34.3	7632				
P-NN	(70.7)	252	47.2	7057				
1q0	(103.7)	252	81.5	7057				
2q0	(132.4)	231	102.2	6768				
5q0	(144.8)	205	119.3	6203				
1q1	(32.0)	231	22.5	6768				
3q2	(14.3)	205	19.1	6203				
4q1	(45.8)	205	41.1	6203				
No. mothers	[122]		[3466]					
Rural								
NN	(37.8)	251	63.7	5307				
P-NN	(62.9)	231	69.7	4693				
1q0	(100.7)	231	133.4	4693				
2q0	(140.8)	216	176.7	4443				
5q0	(161.7)	189	215.2	3964				
1q1	(44.6)	216	50.0	4443				
3q2	(24.4)	189	46.7	3964				
4q1	(67.9)	189	94.4	3964				
No. mothers	[82]		[1904]					
Total								
NN	35.2	530	46.4	12939				
P-NN	(67.0)	483	56.4	11750				
1q0	(102.3)	483	102.8	11750				
2q0	(136.5)	446	132.8	11211				
5q0	(153.0)	393	158.6	10167				
1q1	(38.1)	446	33.4	11211				
3q2	(19.1)	393	29.8	10167				
4q1	(56.5)	393	62.2	10167				
No. mothers	[205]		[5370]					

VENEZUELA 1977 Probability of infant and child mortality for region of current residence (0 to 9 years prior to survey)

Type of rate	CAPITAL REGION NOT METROPOL.		CENTRAL REGION		CENTRO OCCIDENTAL		ZULIANA	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	(47.9)	293	38.1	801	70.5	617	34.5	521
2q0	(47.9)	265	45.8	745	75.5	561	46.1	500
5q0	(55.8)	231	49.2	685	(86.0)	485	(49.1)	473
1q1	(0.0)	265	8.1	745	5.3	561	12.0	500
3q2	(8.4)	231	3.6	685	(11.4)	485	(3.1)	473
4q1	(8.4)	231	11.6	685	(16.7)	485	(15.1)	473
No. mothers	[137]		[412]		[238]		[254]	
Rural								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	(63.5)	63	(35.9)	84	(68.3)	359	(80.9)	136
2q0	(63.5)	57	(47.8)	81	(77.3)	313	(88.5)	120
5q0	(81.3)	51	(47.8)	62	(87.8)	241	(104.2)	115
1q1	(0.0)	57	(12.3)	81	(9.6)	313	(8.3)	120
3q2	(19.0)	51	(0.0)	62	(11.4)	241	(17.2)	115
4q1	(19.0)	51	(12.3)	62	(20.9)	241	(25.4)	115
No. mothers	[23]		[26]		[121]		[52]	
Total								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	(50.6)	356	37.9	884	69.7	976	44.1	657
2q0	(50.6)	322	46.0	826	76.1	874	54.9	620
5q0	(60.3)	282	49.1	747	86.6	726	60.4	588
1q1	(0.0)	322	8.5	826	6.9	874	11.3	620
3q2	(10.2)	282	3.2	747	11.3	726	5.8	588
4q1	(10.2)	282	11.7	747	18.1	726	17.0	588
No. mothers	[160]		[438]		[359]		[306]	

* Age at death given only in completed years.

VENEZUELA 1977 Probability of infant and child mortality for region of current residence (0 to 9 years prior to survey)

Type of rate	LOS ANDES		SUR		NOR-ORIENTAL		GUAYANA	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	#	--	#	--	#	--	#
P-NN	--	#	--	#	--	#	--	#
1q0	(56.1)	330	--	0	36.1	513	(37.7)	212
2q0	(62.3)	307	--	0	(42.2)	474	(37.7)	201
5q0	(75.2)	278	--	0	(50.6)	416	(42.7)	179
1q1	(6.5)	307	--	0	(6.3)	474	(0.0)	201
3q2	(13.7)	278	--	0	(8.8)	416	(5.1)	179
4q1	(20.1)	278	--	0	(15.1)	416	(5.1)	179
No. mothers	[156]		[0]		[232]		[102]	
Rural								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	(51.0)	373	--	0	(65.1)	338	--	0
2q0	(59.5)	335	--	0	(71.4)	299	--	0
5q0	(68.9)	284	--	0	(79.6)	255	--	0
1q1	(9.0)	335	--	0	(6.7)	299	--	0
3q2	(10.0)	284	--	0	(8.9)	255	--	0
4q1	(18.8)	284	--	0	(15.5)	255	--	0
No. mothers	[124]		[0]		[117]		[0]	
Total								
NN	--	*	--	*	--	*	--	*
P-NN	--	*	--	*	--	*	--	*
1q0	53.4	702	--	0	47.6	851	(37.7)	212
2q0	60.8	642	--	0	53.8	773	(37.7)	201
5q0	71.9	562	--	0	62.1	671	(42.7)	179
1q1	7.8	642	--	0	6.5	773	(0.0)	201
3q2	11.8	562	--	0	8.8	671	(5.1)	179
4q1	19.5	562	--	0	15.2	671	(5.1)	179
No. mothers	[280]		[0]		[349]		[102]	

* Age at death given only in completed years.

ALL REGIONS

Type of rate	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	*						
P-NN	--	*						
1q0	46.0	3285						
2q0	52.2	3053						
5q0	59.1	2746						
1q1	6.6	3053						
3q2	7.3	2746						
4q1	13.8	2746						
No. mothers	[1531]							
Rural								
NN	--	*						
P-NN	--	*						
1q0	61.8	1352						
2q0	69.6	1204						
5q0	79.4	1007						
1q1	8.3	1204						
3q2	10.6	1007						
4q1	18.8	1007						
No. mothers	[463]							
Total								
NN	--	*						
P-NN	--	*						
1q0	50.6	4637						
2q0	57.3	4257						
5q0	65.0	3753						
1q1	7.0	4257						
3q2	8.2	3753						
4q1	15.1	3753						
No. mothers	[1994]							

* Age at death given only in completed years.

Type of rate	GEORGETOWN		GEORGETOWN SUBURBS		NEW AMSTERDAM		LINDEN	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(23.6)	382	53.0	1161	(40.8)	221	(6.1)	329
P-NN	(10.4)	369	26.3	1061	(31.3)	212	(27.4)	320
1q0	(34.0)	369	79.3	1061	(72.2)	212	(33.5)	320
2q0	(40.7)	360	84.7	1013	(87.7)	209	(39.8)	310
5q0	(40.7)	346	92.9	910	(102.0)	180	(39.8)	269
1q1	(6.9)	360	5.9	1013	(16.7)	209	(6.5)	310
3q2	(0.0)	346	8.9	910	(15.7)	180	(0.0)	269
4q1	(6.9)	346	14.8	910	(32.2)	180	(6.5)	269
No. mothers	[231]		[611]		[97]		[140]	
Rural								
NN	--	0	--	0	--	0	--	0
P-NN	--	0	--	0	--	0	--	0
1q0	--	0	--	0	--	0	--	0
2q0	--	0	--	0	--	0	--	0
5q0	--	0	--	0	--	0	--	0
1q1	--	0	--	0	--	0	--	0
3q2	--	0	--	0	--	0	--	0
4q1	--	0	--	0	--	0	--	0
No. mothers	[0]		[0]		[0]		[0]	
Total								
NN	(23.6)	382	53.0	1161	(40.8)	221	(6.1)	329
P-NN	(10.4)	369	26.3	1061	(31.3)	212	(27.4)	320
1q0	(34.0)	369	79.3	1061	(72.2)	212	(33.5)	320
2q0	(40.7)	360	84.7	1013	(87.7)	209	(39.8)	310
5q0	(40.7)	346	92.9	910	(102.0)	180	(39.8)	269
1q1	(6.9)	360	5.9	1013	(16.7)	209	(6.5)	310
3q2	(0.0)	346	8.9	910	(15.7)	180	(0.0)	269
4q1	(6.9)	346	14.8	910	(32.2)	180	(6.5)	269
No. mothers	[231]		[611]		[97]		[140]	

WORLD BANK 1975
 GUYANA 1975

Probability of infant and child mortality for region
 of current residence (0 to 9 years prior to survey)

Type of rate	REMOTE AREAS		WEST BERBICE		EAST BANK DEMERARA		ESSEQUIBO	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	0	--	0	--	0	--	0
P-NN	--	0	--	0	--	0	--	0
1q0	--	0	--	0	--	0	--	0
2q0	--	0	--	0	--	0	--	0
5q0	--	0	--	0	--	0	--	0
1q1	--	0	--	0	--	0	--	0
3q2	--	0	--	0	--	0	--	0
4q1	--	0	--	0	--	0	--	0
No. mothers	[0]	[0]	[0]	[0]
Rural								
NN	(39.6)	202	(41.8)	335	(59.7)	352	36.5	602
P-NN	(24.8)	191	(6.0)	322	(14.4)	323	19.1	573
1q0	(64.4)	191	(47.8)	322	(74.1)	323	55.7	573
2q0	(69.7)	177	(59.4)	329	(89.2)	308	65.5	575
5q0	(76.6)	135	(65.3)	312	(90.8)	281	85.8	560
1q1	(5.7)	177	(12.2)	329	(16.3)	308	10.4	575
3q2	(7.4)	135	(6.3)	312	(1.7)	281	21.7	560
4q1	(13.0)	135	(18.4)	312	(18.0)	281	31.9	560
No. mothers	[74]	[141]	[157]	[235]
Total								
NN	(39.6)	202	(41.8)	335	(59.7)	352	36.5	602
P-NN	(24.8)	191	(6.0)	322	(14.4)	323	19.1	573
1q0	(64.4)	191	(47.8)	322	(74.1)	323	55.7	573
2q0	(69.7)	177	(59.4)	329	(89.2)	308	65.5	575
5q0	(76.6)	135	(65.3)	312	(90.8)	281	85.8	560
1q1	(5.7)	177	(12.2)	329	(16.3)	308	10.4	575
3q2	(7.4)	135	(6.3)	312	(1.7)	281	21.7	560
4q1	(13.0)	135	(18.4)	312	(18.0)	281	31.9	560
No. mothers	[74]	[141]	[157]	[235]

GUYANA 1975

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	WEST DEMERARA		EAST COAST DEMERARA		EAST BERBICE		ALL REGIONS	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	0	--	0	--	0	39.0	2092
P-NN	--	0	--	0	--	0	24.1	1961
1q0	--	0	--	0	--	0	63.0	1961
2q0	--	0	--	0	--	0	70.0	1892
5q0	--	0	--	0	--	0	76.0	1705
1q1	--	0	--	0	--	0	7.4	1892
3q2	--	0	--	0	--	0	6.4	1705
4q1	--	0	--	0	--	0	13.8	1705
No. mothers	[0]	[0]	[0]	[1079]
Rural								
NN	36.6	874	24.1	1123	35.0	1328	35.4	4815
P-NN	25.6	836	20.8	1056	22.7	1287	20.7	4587
1q0	62.3	836	44.9	1056	57.7	1287	56.1	4587
2q0	76.0	823	53.2	1035	66.5	1284	66.3	4529
5q0	79.5	770	64.5	965	74.6	1243	75.2	4265
1q1	14.6	823	8.7	1035	9.3	1284	10.8	4529
3q2	3.8	770	11.9	965	8.7	1243	9.6	4265
4q1	18.4	770	20.5	965	18.0	1243	20.3	4265
No. mothers	[401]	[499]	[577]	[2084]
Total								
NN	36.6	874	24.1	1123	35.0	1328	36.5	6906
P-NN	25.6	836	20.8	1056	22.7	1287	21.7	6548
1q0	62.3	836	44.9	1056	57.7	1287	58.2	6548
2q0	76.0	823	53.2	1035	66.5	1284	67.4	6421
5q0	79.5	770	64.5	965	74.6	1243	75.5	5970
1q1	14.6	823	8.7	1035	9.3	1284	9.8	6421
3q2	3.8	770	11.9	965	8.7	1243	8.7	5970
4q1	18.4	770	20.5	965	18.0	1243	18.4	5970
No. mothers	[401]	[499]	[577]	[3163]

JAMAICA 1975-6

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Kingston		St. Andrew		St. Thomas		Portland	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(24.3)	206	17.2	1106	--	0	(47.6)	21
P-NN	(9.9)	198	12.1	1090	--	0	(48.8)	19
1q0	(34.1)	198	29.3	1090	--	0	(96.5)	19
2q0	(34.1)	195	33.8	1081	--	0	(96.5)	19
5q0	(39.6)	178	35.7	998	--	0	(96.5)	16
1q1	(0.0)	195	4.6	1081	--	0	(0.0)	19
3q2	(5.6)	178	1.9	998	--	0	(0.0)	16
4q1	(5.6)	178	6.6	998	--	0	(0.0)	16
No. mothers	[124]		[644]		[0]		[10]	
Rural								
NN	--	0	(40.4)	50	(31.3)	128	(16.3)	123
P-NN	--	0	(20.9)	46	(25.2)	135	(24.6)	119
1q0	--	0	(61.3)	46	(56.5)	135	(40.9)	119
2q0	--	0	(61.3)	44	(56.5)	130	(48.9)	120
5q0	--	0	(110.8)	36	(63.7)	122	(57.0)	117
1q1	--	0	(0.0)	44	(0.0)	130	(8.4)	120
3q2	--	0	(52.8)	36	(7.6)	122	(8.5)	117
4q1	--	0	(52.8)	36	(7.6)	122	(16.8)	117
No. mothers	[0]		[25]		[58]		[68]	
Total								
NN	(24.3)	206	18.2	1156	(31.3)	128	(20.9)	144
P-NN	(9.9)	198	12.5	1136	(25.2)	135	(28.1)	138
1q0	(34.1)	198	30.7	1136	(56.5)	135	(49.0)	138
2q0	(34.1)	195	35.0	1125	(56.5)	130	(55.8)	139
5q0	(39.6)	178	38.6	1033	(63.7)	122	(62.8)	132
1q1	(0.0)	195	4.4	1125	(0.0)	130	(7.2)	139
3q2	(5.6)	178	3.7	1033	(7.6)	122	(7.4)	132
4q1	(5.6)	178	8.2	1033	(7.6)	122	(14.6)	132
No. mothers	[124]		[669]		[58]		[78]	

JAMAICA 1975-6

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	St. Mary		St. Ann		Trelawny		St. James	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	0	--	0	--	0	(30.5)	197
P-NN	--	0	--	0	--	0	(20.3)	190
1q0	--	0	--	0	--	0	(50.9)	190
2q0	--	0	--	0	--	0	(61.2)	184
5q0	--	0	--	0	--	0	(66.8)	155
1q1	--	0	--	0	--	0	(10.9)	184
3q2	--	0	--	0	--	0	(6.0)	155
4q1	--	0	--	0	--	0	(16.8)	155
No. mothers	[0]	[0]	[0]	[83]
Rural								
NN	(26.3)	305	(17.6)	285	(18.3)	109	(31.3)	144
P-NN	(29.5)	290	(16.0)	273	(8.8)	113	(6.9)	143
1q0	(55.8)	290	(33.6)	273	(27.1)	113	(38.2)	143
2q0	(79.7)	276	(40.8)	267	(35.4)	117	(51.5)	144
5q0	(92.0)	246	(44.6)	251	(43.3)	118	(58.2)	142
1q1	(25.4)	276	(7.5)	267	(8.5)	117	(13.9)	144
3q2	(13.3)	246	(4.0)	251	(8.2)	118	(7.1)	142
4q1	(38.4)	246	(11.5)	251	(16.7)	118	(20.9)	142
No. mothers	[126]	[134]	[52]	[65]
Total								
NN	(26.3)	305	(17.6)	285	(18.3)	109	(30.8)	341
P-NN	(29.5)	290	(16.0)	273	(8.8)	113	(14.6)	333
1q0	(55.8)	290	(33.6)	273	(27.1)	113	(45.4)	333
2q0	(79.7)	276	(40.8)	267	(35.4)	117	(57.0)	328
5q0	(92.0)	246	(44.6)	251	(43.3)	118	(63.2)	297
1q1	(25.4)	276	(7.5)	267	(8.5)	117	(12.2)	328
3q2	(13.3)	246	(4.0)	251	(8.2)	118	(6.6)	297
4q1	(38.4)	246	(11.5)	251	(16.7)	118	(18.7)	297
No. mothers	[126]	[134]	[52]	[148]

JAMAICA 1975-6

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Hanover		Westmoreland		St. Elizabeth		Manchester	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	0	(0.0)	19	(0.0)	18	(22.0)	46
P-NN	--	0	(0.0)	20	(0.0)	19	(0.0)	46
1q0	--	0	(0.0)	20	(0.0)	19	(22.0)	46
2q0	--	0	(0.0)	21	(52.6)	19	(22.0)	46
5q0	--	0	(0.0)	21	(52.6)	18	(22.0)	37
1q1	--	0	(0.0)	21	(52.6)	19	(0.0)	46
3q2	--	0	(0.0)	21	(0.0)	18	(0.0)	37
4q1	--	0	(0.0)	21	(52.6)	18	(0.0)	37
No. mothers	[0]	[10]	[8]	[19]
Rural								
NN	(8.8)	114	(24.6)	244	(15.7)	255	(31.3)	288
P-NN	(8.8)	113	(16.4)	237	(3.8)	260	(29.9)	268
1q0	(17.6)	113	(41.0)	237	(19.5)	260	(61.1)	268
2q0	(17.6)	115	(49.2)	234	(23.3)	254	(68.4)	257
5q0	(17.6)	115	(53.4)	224	(27.3)	240	(78.8)	212
1q1	(0.0)	115	(8.6)	234	(3.9)	254	(7.8)	257
3q2	(0.0)	115	(4.4)	224	(4.1)	240	(11.1)	212
4q1	(0.0)	115	(12.9)	224	(8.0)	240	(18.8)	212
No. mothers	[53]	[121]	[136]	[133]
Total								
NN	(8.8)	114	(22.8)	263	(14.7)	273	(30.0)	334
P-NN	(8.8)	113	(15.2)	256	(3.5)	278	(25.7)	314
1q0	(17.6)	113	(38.0)	256	(18.2)	278	(55.6)	314
2q0	(17.6)	115	(45.6)	255	(25.4)	273	(61.9)	303
5q0	(17.6)	115	(49.4)	245	(29.1)	258	(70.7)	249
1q1	(0.0)	115	(7.9)	255	(7.3)	273	(6.6)	303
3q2	(0.0)	115	(4.0)	245	(3.8)	258	(9.5)	249
4q1	(0.0)	115	(11.8)	245	(11.1)	258	(16.0)	249
No. mothers	[53]	[131]	[144]	[152]

JAMAICA 1975-6

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Clarendon		St. Catherine		ALL REGIONS			
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(31.3)	64	(32.5)	400	22.6	2076		
P-NN	(45.1)	65	(13.8)	381	13.9	2026		
1q0	(76.3)	65	(46.4)	381	36.6	2026		
2q0	(76.3)	60	(56.6)	373	42.4	1998		
5q0	(76.3)	52	(64.5)	328	45.9	1801		
1q1	(0.0)	60	(10.7)	373	6.0	1998		
3q2	(0.0)	52	(8.4)	328	3.7	1801		
4q1	(0.0)	52	(19.0)	328	9.7	1801		
No. mothers	[36]		[200]		[1134]			
Rural								
NN	(24.8)	383	(21.9)	411	23.3	2836		
P-NN	(42.1)	362	(19.1)	409	21.5	2764		
1q0	(67.0)	362	(41.0)	409	44.8	2764		
2q0	(76.0)	359	(62.5)	401	55.5	2715		
5q0	(82.4)	367	(66.3)	357	62.4	2544		
1q1	(9.7)	359	(22.4)	401	11.2	2715		
3q2	(6.8)	367	(4.1)	357	7.2	2544		
4q1	(16.5)	367	(26.4)	357	18.4	2544		
No. mothers	[171]		[181]		[1323]			
Total								
NN	(25.8)	447	27.1	811	23.0	4912		
P-NN	(42.7)	426	16.5	790	18.3	4790		
1q0	(68.4)	426	43.6	790	41.3	4790		
2q0	(76.2)	419	59.7	774	50.0	4713		
5q0	(81.7)	418	65.5	684	55.5	4344		
1q1	(8.4)	419	16.8	774	9.0	4713		
3q2	(5.9)	418	6.2	684	5.8	4344		
4q1	(14.2)	418	22.9	684	14.7	4344		
No. mothers	[207]		[381]		[2457]			

HAITI 1977

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Port-au-prince		Villes de prov ince		Rural ouest		Rural nord	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	72.8	947	(27.5)	114	--	0	--	0
P-NN	109.9	791	(71.4)	107	--	0	--	0
1q0	182.7	791	(98.8)	107	--	0	--	0
2q0	208.7	721	(126.9)	100	--	0	--	0
5q0	243.0	583	(158.5)	87	--	0	--	0
1q1	31.8	721	(31.2)	100	--	0	--	0
3q2	43.3	583	(36.1)	87	--	0	--	0
4q1	73.8	583	(66.1)	87	--	0	--	0
No. mothers	[535]		[65]		[0]		[0]	
Rural								
NN	--	0	--	0	89.0	974	52.5	636
P-NN	--	0	--	0	57.6	829	49.0	549
1q0	--	0	--	0	146.6	829	101.5	549
2q0	--	0	--	0	186.4	772	114.1	521
5q0	--	0	--	0	234.3	614	(163.9)	414
1q1	--	0	--	0	46.7	772	14.0	521
3q2	--	0	--	0	58.8	614	(56.2)	414
4q1	--	0	--	0	102.8	614	(69.5)	414
No. mothers	[0]		[0]		[442]		[267]	
Total								
NN	72.8	947	(27.5)	114	89.0	974	52.5	636
P-NN	109.9	791	(71.4)	107	57.6	829	49.0	549
1q0	182.7	791	(98.8)	107	146.6	829	101.5	549
2q0	208.7	721	(126.9)	100	186.4	772	114.1	521
5q0	243.0	583	(158.5)	87	234.3	614	(163.9)	414
1q1	31.8	721	(31.2)	100	46.7	772	14.0	521
3q2	43.3	583	(36.1)	87	58.8	614	(56.2)	414
4q1	73.8	583	(66.1)	87	102.8	614	(69.5)	414
No. mothers	[535]		[65]		[442]		[267]	

Probability of infant and child mortality for region of current residence (0 to 9 years prior to survey)

Type of rate	Rural artibonite		Rural sud		Rural n-ouest		ALL REGIONS	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	0	--	0	--	0	67.9	1061
P-NN	--	0	--	0	--	0	105.7	898
1q0	--	0	--	0	--	0	173.6	898
2q0	--	0	--	0	--	0	199.9	822
5q0	--	0	--	0	--	0	233.8	670
1q1	--	0	--	0	--	0	31.8	822
3q2	--	0	--	0	--	0	42.4	670
4q1	--	0	--	0	--	0	72.8	670
No. mothers	[0]	[0]	[0]	[600]
Rural								
NN	(62.4)	485	65.5	925	(48.4)	194	68.5	3215
P-NN	(37.1)	433	56.2	817	(34.2)	161	51.1	2789
1q0	(99.5)	433	121.6	817	(82.6)	161	119.6	2789
2q0	(113.5)	403	149.0	769	(82.6)	150	144.4	2614
5q0	(172.8)	319	201.9	634	(96.4)	120	194.1	2101
1q1	(15.6)	403	31.2	769	(0.0)	150	28.2	2614
3q2	(66.9)	319	62.1	634	(15.0)	120	58.1	2101
4q1	(81.4)	319	91.4	634	(15.0)	120	84.7	2101
No. mothers	[221]	[378]	[87]	[1394]
Total								
NN	(62.4)	485	65.5	925	(48.4)	194	68.4	4276
P-NN	(37.1)	433	56.2	817	(34.2)	161	64.6	3687
1q0	(99.5)	433	121.6	817	(82.6)	161	133.0	3687
2q0	(113.5)	403	149.0	769	(82.6)	150	158.2	3436
5q0	(172.8)	319	201.9	634	(96.4)	120	203.9	2771
1q1	(15.6)	403	31.2	769	(0.0)	150	29.0	3436
3q2	(66.9)	319	62.1	634	(15.0)	120	54.4	2771
4q1	(81.4)	319	91.4	634	(15.0)	120	81.8	2771
No. mothers	[221]	[378]	[87]	[1994]

PORTUGAL 1979-80

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	Lisbon		Porto		20,000+ inhabi tants		10,000-19,999 inhabs	
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	(25.6)	352	(0.0)	138	(12.9)	465	(14.8)	406
P-NN	(11.5)	334	(14.1)	142	(12.7)	471	(4.9)	410
1q0	(37.1)	334	(14.1)	142	(25.6)	471	(19.6)	410
2q0	(37.1)	337	(14.1)	142	(25.6)	474	(19.6)	408
5q0	(37.1)	335	(30.9)	150	(27.6)	476	(22.1)	410
1q1	(0.0)	337	(0.0)	142	(0.0)	474	(0.0)	408
3q2	(0.0)	335	(17.1)	150	(2.1)	476	(2.5)	410
4q1	(0.0)	335	(17.1)	150	(2.1)	476	(2.5)	410
No. mothers	[408]		[146]		[527]		[404]	
Rural								
NN	--	0	--	0	--	0	--	0
P-NN	--	0	--	0	--	0	--	0
1q0	--	0	--	0	--	0	--	0
2q0	--	0	--	0	--	0	--	0
5q0	--	0	--	0	--	0	--	0
1q1	--	0	--	0	--	0	--	0
3q2	--	0	--	0	--	0	--	0
4q1	--	0	--	0	--	0	--	0
No. mothers	[0]		[0]		[0]		[0]	
Total								
NN	(25.6)	352	(0.0)	138	(12.9)	465	(14.8)	406
P-NN	(11.5)	334	(14.1)	142	(12.7)	471	(4.9)	410
1q0	(37.1)	334	(14.1)	142	(25.6)	471	(19.6)	410
2q0	(37.1)	337	(14.1)	142	(25.6)	474	(19.6)	408
5q0	(37.1)	335	(30.9)	150	(27.6)	476	(22.1)	410
1q1	(0.0)	337	(0.0)	142	(0.0)	474	(0.0)	408
3q2	(0.0)	335	(17.1)	150	(2.1)	476	(2.5)	410
4q1	(0.0)	335	(17.1)	150	(2.1)	476	(2.5)	410
No. mothers	[408]		[146]		[527]		[404]	

PORTUGAL
1979-80

Probability of infant and child mortality for region
of current residence (0 to 9 years prior to survey)

Type of rate	<10,000 inhabitants		ALL REGIONS					
	Rate	Exposure	Rate	Exposure	Rate	Exposure	Rate	Exposure
Urban								
NN	--	0	15.4	1360				
P-NN	--	0	10.2	1357				
1q0	--	0	25.6	1357				
2q0	--	0	25.6	1360				
5q0	--	0	28.8	1370				
1q1	--	0	0.0	1360				
3q2	--	0	3.3	1370				
4q1	--	0	3.3	1370				
No. mothers	[0]	[1485]				
Rural								
NN	25.4	3879	25.4	3879				
P-NN	19.0	3754	19.0	3754				
1q0	44.4	3754	44.4	3754				
2q0	48.5	3742	48.5	3742				
5q0	50.2	3693	50.2	3693				
1q1	4.3	3742	4.3	3742				
3q2	1.9	3693	1.9	3693				
4q1	6.1	3693	6.1	3693				
No. mothers	[3217]	[3217]				
Total								
NN	25.4	3879	22.8	5239				
P-NN	19.0	3754	16.7	5111				
1q0	44.4	3754	39.5	5111				
2q0	48.5	3742	42.5	5102				
5q0	50.2	3693	44.7	5063				
1q1	4.3	3742	3.1	5102				
3q2	1.9	3693	2.3	5063				
4q1	6.1	3693	5.4	5063				
No. mothers	[3217]	[4702]				